Scout Report sent out	
Noted in the NID File	TO THE REAL PROPERTY OF
Location may pinned	
Approval or Disapproval Letter	AT E
Date Completed, F. & A. or-	11-14-59
P d or location map	
A Record of A & P	
Was a Off Test	
Gas-Oil Karo Test	i d
Well Log Filed	W 02

Emmental to Water In	section March 1963
FILE NOTATIONS	
Entered in N1D File Entered Cn S R Sheet Location Map Finned Card Indixed	Checked by Chief Cony NID to Field Office Approval Latter Disapproval Latter
Dut Well Commission TA	Book of Fee Land
Ditto 100 11-12-59 Electric los (No.) 2 Electric los (No.) 2 M.L. So	GR. Micro

Forrá 9-331 b (April 1952)


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency
Window Rock
Allottee Heye jo
Loaso No. 14-20-603-37

	A CURCEOU		1
NOTICE OF INTENTION TO DRILL	SUBSEQU	JENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PL		IENT REPORT OF SHOOTING OR ACIDIZING JENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO TEST WATER		JENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO REDRILL OF		JENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT OR		SENT REPORT OF ABANDONMENT	
IOTICE OF INTENTION TO PULL OR AL		TENIARI WELL HISTORI	
NOTICE OF INTENTION TO ABANDON W			
(INDICATE	ABOVE BY CHECK MARK NATURE OF RE	PORT, NOTICE, OR OTHER DATA)	
		September 10	19
vajo 'E'	43)	(C')	
ll No. 43-14 is loca	ated 2031 ft. from $\{S\}$ line	and 711 ft. from $\left\{\begin{array}{c} \mathbf{E} \\ \mathbf{x} \end{array}\right\}$ line of	f sec
ME SE Sec. 14		8LDD	
(14 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)	
White Hesa (Field)	San Juan (County or Subdivision)	Utah (State or Territory)	
1	Aura abarra ana lavral in 460	5 f. Graded ground.	
ne elevation of the destrict	from above sea level is 460	5 ft. Graded ground.	
ne elevation of the destains			
	DETAILS OF W	ORK	
	DETAILS OF W	ORK ad lengths of proposed casings; indicate mudd	ding jobs, cem
	DETAILS OF W	ORK ad lengths of proposed casings; indicate mudd	ding jobs, cem
ate names of and expected depths to	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan	ORK ad lengths of proposed casings; indicate mudd	
Propose to drill	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F	ORK ad lengths of proposed casings; indicate mude at proposed work) ormation at a depth of a	
Propose to drill	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan	ORK ad lengths of proposed casings; indicate mude at proposed work) ormation at a depth of a	
Propose to drill :	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8 c	ORK ad lengths of proposed casings; indicate mude to proposed work) Ormation at a depth of appropriate to pipe.	
Propose to drill :	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F	ORK ad lengths of proposed casings; indicate mude to proposed work) Ormation at a depth of appropriate to pipe.	
Propose to drill : 540'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of appropriate pipe.	pproxima
Propose to drill : 540'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude to proposed work) Ormation at a depth of appropriate to pipe.	pproxima
Propose to drill : 540'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of appropriate pipe.	pproxima
Propose to drill : 540'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of a conductor pipe.	pproxima
Propose to drill : 540'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of a conductor pipe.	pproxima
Propose to drill : 640'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of a conductor pipe.	pproxima
Propose to drill : 540'. Will set approxim	DETAILS OF W objective sands; show sizes, weights, an ing points, and all other importan well to test Paradox F ately 90° of 13-3/8° c ately 1300° of 8-5/8	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of a conductor pipe.	pproxima
Propose to drill : 540'. Will set approxim Will set 54 casis	DETAILS OF Wobjective sands; show sizes, weights, and ing points, and all other important well to test Paradox Fately 90' of 13-3/8 cately 1300' of 8-5/8 ng through any commerce	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime
Propose to drill side of the state of the st	DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other importants well to test Paradox Fately 90° of 13-3/8° cately 1300° of 8-5/8° ag through any commerce must receive approval in writing by the	ORK ad lengths of proposed casings; indicate mude at proposed work) Cornation at a depth of a conductor pipe.	pproxime
Propose to drill side of the state of the st	DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other importants well to test Paradox Fately 90° of 13-3/8° cately 1300° of 8-5/8° ag through any commerce must receive approval in writing by the	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime
Propose to drill (1940). Will set approxim Will set approxim Will set 5½ casis I understand that this plan of work ompany The Superior (1940).	DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other important well to test Paradox Fately 90' of 13-3/8 cately 1300' of 8-5/8 ng through any commerce must receive approval in writing by the Office Company	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime
Propose to drill Will set approxim Will set approxim Will set 5½ casis I understand that this plan of work ompany The Superior (ddress. P. O. Drawer (DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other important well to test Paradox Fately 90' of 13-3/8 cately 1300' of 3-5/8 ag through any commerce must receive approval in writing by the Oil Company	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime
Propose to drill Will set approxim Will set approxim Will set 34 casis I understand that this plan of work ompany	DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other important well to test Paradox Fately 90' of 13-3/8 cately 1300' of 3-5/8 ag through any commerce must receive approval in writing by the Oil Company	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime
Propose to drill 640'. Will set approxim Will set approxim Will set 5½ casis I understand that this plan of work company The Superior address P. O. Drawer	DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other important well to test Paradox Fately 90' of 13-3/8 cately 1300' of 3-5/8 ag through any commerce must receive approval in writing by the Oil Company	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime
Propose to drill 640'. Will set approxim Will set approxim Will set 5½ casis I understand that this plan of work company The Superior address P. O. Drawer	DETAILS OF Wobjective sands; show sizes, weights, an ing points, and all other important well to test Paradox Fately 90' of 13-3/8 cately 1300' of 3-5/8 ag through any commerce must receive approval in writing by the Oil Company	ORK ad lengths of proposed casings; indicate mude at proposed work) Ormation at a depth of appropriate pipe. Surface pipe.	pproxime

CERTIFICATE OF SURVEY



WELL LOCATION: The Superior Oil Co. — Navajo "E" No. 43-14

Located 2031 feet North of the South line and 711 feet West of the East line of Section 14.

Township 41 South Range 24 East Solt Lake Meridian

San Juan County, Utah

Existing ground elevation determined at 4608 feet.

Thereby certify the above plat represents a survey stands under my supervision and is accurate to the back of my knowledge and belief.

ELMER M. CLARK
Registered Land Surveyor
State of Utah (No. 2307)

E.M. CLARK & ASSOCIATES

Durango, Colorado

January 13, 1959

September 14, 1959

Superior Oil Company P. O. Drawer G Cortes, Colorado

Attention: D. D. Kingman, Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo E 43-14, which is to be located 2031 feet from the south line and 711 feet from the east line of Section 14, Township 41 South, Range 24 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE SECRETARY

CBF: co

cc: P. T. McGrath, Dist. Eng. U. S. Geological Survey Farmington, New Mexico

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Ag	ency	
	Vindow	
Allottee .	Haveje)
Lease No.	14-20-4	03-370

SLINDDY NOTICES

SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF SHOOTING OXING. SUBSEQUENT REPORT OF SHOOTING OXING. SUBSEQUENT REPORT OF REPORT OF REPORT. SUBSEQUENT REPOR	SUN	DKI NOII	JES AND REF	ORTS ON	WELLS	
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ADAPTICATION OR ACIDIZING. SUBSEQUENT REPORT OF ADAPTICING OR REPAIR. SUBSEQUENT REPORT OF ADAPTICING OR ACIDIZING. SUBSEQUENT REPORT OF ALTRING CASING. SUBSEQUENT REPORT OF ALTRING. SUBSEQUENT REPORT OF ALTRING. SUBSEQUENT REPORT OF ALTRING. SUBSEQUENT REPORT OF ALTRING. SUBSEQUENT REPO	NOTICE OF INTENTION TO	DRILL	SUBSFOURN	T REPORT OF WATER	SUIT OFF	
SURFICE OF INTENTION TO TEST WATER SHUT-OFF. SOUTCE OF INTENTION TO REPAIR WELL SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF PEDRILLING OR REPAIR. SUBSEQUENT REPORT OF PEDRILLING OR REPAIR. SUBSEQUENT REPORT OF PEDRILLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT RE	NOTICE OF INTENTION TO	CHANGE PLANS	1 11			
SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ADDRESS. SUBSE	NOTICE OF INTENTION TO	TEST WATER SHUT-OFF.				
OTICE OF INTERTION TO SHOOT OR ACIDIZE. OTICE OF INTERTION TO SHOOT OR ALTER CASING. OTICE OF INTERTION TO SHOOT ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SUPPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT) (INDICATE BY CHECK MARK NATURE OF REPORT) (INDICATE BY CHECK MARK NATURE OF REPORT) (INDICATE BY CHECK MARK NATURE OF REPORT) (IND						
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT	OTICE OF INTENTION TO	SHOOT OR ACIDIZE				
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT BY CHECK MA	IOTICE OF INTENTION TO	PULL OR ALTER CASING				
Section Sect						
is located 2831 ft. from S line and 711 ft. from E line of sec. M S S S S S S S S S		(INDICATE ABOVE BY C	HECK MARK NATURE OF REPOR	RT, NOTICE, OR OTHER	PATA)	
is located with from sec. In the sec. In t				October 1	6	19 39
(% Sec. and Sec. 14 (% Sec. and Sec. 16) (% Sec. and Sec. 16) (Pield) (County of Subdivision) (State of Territory) (State of T	waje 'E'					,
(Ned) (County or Subdivision) (State or Territory) e elevation of the deminimizes above sea level is	Il No	is located	ft. from S line ar	nd 711 ft. fro	m $\stackrel{E}{\Longrightarrow}$ line of se	ec. 14
(Field) (County or Subdivision) (State or Territory) e elevation of the distributors above sea level is 4430 ft. belly bushing. DETAILS OF WORK te names of and expected depths to objective analos; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work) \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		41	5 248	<u>El Bam</u>	• •	
(Field) (County or Subdivision) (State or Territory) et elevation of the descriptions above sea level is	(¼ Sec. and Sec. No.)	(Twp.	(Range)	(Meridian)		
DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work) September 15, 1999 pleted: Geteber 23, 1939 pleted: Geteber 23, 1939 pleted: January 35.66 commented 88' with 125 coachs. 8-5/8" 246 commented 88' with 125 coachs. 35' 146 & 15.500 commented 8 36's' with 300 coachs. Top of comment 4473'. Independent of the desiration of the desiration of the second second coachs. Top of comment 8 4473'. By A. A. Margary Press. P. C. Desirate 8 Cortes, Colorado By A. A. Margary	White Hees		See Jeen		He ab	
DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) September 13, 1999 pleted: October 23, 1999 13-3/8" 35.66 comented @ 86" with 125 seeks. -3/8" 346 comented @ 1400" with 300 seeks. 31" 140 & 13.506 comented @ 3636" with 300 seeks. Top of coment @ 4473". Inderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. The Superior 611 Company Tress. P. O. Drawer @ Cortees, Colorade By J.	(Field)		(County or Subdivision)		(State or Territory)	
DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work) died: September 13, 1939 pleted: Geteber 25, 1939 13-3/8" 35.65 compated \$ 36" with 125 sanks. 8-3/8" 346 compated \$ 1400" with 300 sanks. 35" 140 & 15.305 compated \$ 3535" with 300 sanks. Top of compate \$ 4475". Inderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Inpany The Superior 611 Company Tress. P. C. Drewer 6 Gertee, Colorede By J.	1 6 .				• •	
13-3/8" 35.66 commented © 88' with 125 seaks. 8-3/8" 346 commented © 1400' with 300 seaks. 34" 146 & 13.506 commented © 3634' with 300 seaks. Top of comment © 4473'. understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. The Superior Gil Company Press. P. O. Brewer & Cortee, Colorado By J.	mleted:	solemen 13	, 18 38			
13-3/8" 35.6/ comented (86' with 125 coaks. 8-3/8" 36/8 comented (1466' with 300 coaks. 31" 146' & 13.50f comented (3636' with 300 coaks. Top of coment (4473'. understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Inpany The Superior (11 Company Bress. P. C. Premer 6 Cortes, Colerado By J. A. January	7.1.1.1.1	de randi 23, 1	173 7		•	
#-5/8" 346 comented @ 1400' with 500 eachs. 35" 146 & 13.506 comented @ 5636' with 300 eachs. Top of coment @ 4473'. understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Inpany The Superior Gil Company Iress P. G. Brawer & Gortea, Colorade By J.	. :	3636'	757D: 3	607'	Cast iron t	widge p
understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. mpany The Superior Cil Company dress 7. C. Drewer C. Cortes, Coloredo By J.	ângı	0-3/8" 24# c	amontos & 1406'	rich 300 saci	io.	
dress P. O. Drewer 6 Cortee, Coloredo By J.		Top o	f coment @ 4475',	•		
Cortes, Coloredo By J. N. Marian	understand that this plar	n of work must receive a	pproval in writing by the Geol	logical Survey before o	perations may be con	nmenced.
Cortes, Coloredo By S. J. Tayran	npany The Super	rior Oil Compe	ny			
	ress P. O. De	met (,	
	Cortes, (blorede		By <i>S.</i> 10	1. Icama	L
Title Englacer					. D. Haran	

Los Tope:

I omey

De Chelly 2492' Organ Book 2677' 44421 Hermess 3276

Cothic Shale Beent Creek 54221 5434' (-814') 5563*

Chinney Rock Total Dooth

5635

Drill Stem Tosts: Home

Perforations: 3445'-46', 5449'-52', 5453'-56', 5367'-76' with hydraulic perforating tool, 2 boles per feet.

Tocalments: 10-21-39: Acid Job #1: (Porfs 5567'-76')
300 gallons Spearhead Acid followed with 3,000 gallons retarded seld. Maximum pressure 4800f/1600f. Suchbed dry, set bridge plug @ 5500'.

10-22-59: Acid Job #2: (Perfs 5445'-56')
500 saliens Spearhead Acid followed with 3,000 gallens retarded seid. Maximum pressure 34000/19000.

10-24-59: <u>4e14 Job #3: (Porfs 5445'-56')</u> 3,000 gallons retarded seid. Maximum pressure 1300#/1500# on vacuum immediately.

Tabian:

24 6.56 J-35 R-2 6Rd BUR hung 5475" 5435" Tubing Anchor 6 5429 2 & L 3429 Penn shoe 39' gas anchor below your shoe Tubing landed on WAA hanger.

Initial Production: 11-4-59: Pumped 78 bbls in 19 hours. Gravity 36.1°, out 2.62, 2600/3000, 13 x 54" SPH. on app rate.

INITIAL WELL TEST

McELMO CREEK UNIT #E-23

DATE	November 4, 1959
OIL BBL/DAY	95.45
OIL GRAVITY	36.1
GAS CU.FT/DAY	
GAS-OIL RATIO CU/FT/BBL	
WATER BBL/DAY	2.55
PUMPING/FLOWING	F
CHOKE SIZE	
FLOW TUBING PRESSURE	

MC ELMO CREEK UNIT #E-23

NE SE, Sec. 14, T41S R25E San Juan County, UTAH

FIELD:

MC ELMO CREEK

KB: 4619'

DF: 4618'

GL: 4605' TD: 5636'

PBTD: 5607'

TLD: 13.5

SPUDDED:

9-15-59

COMPLETED:

10-25-59

TOC: 4475

INJECTION ZONE:

Desert Creek Zone 1

----10.0015%

(temp)

PERFS:

Zone 1: 5445-56'

Zone 3: 5567-76' (behind BP)

CASING:

13-3/8" OD, 35.6#., Armco Spiral Weld Slip Joint set @ 88'

w/125 Sx. Ideal reg. bulk cmt. w/2% CaCl.

8-5/8" OD, 24#, J-55, R-2, 8rd, ST&C set @ 1408' w/500 Sx.

Ideal reg. bulk cmt. w/2% CaCl.

5½" OD, 14 & 15.5#, J-55, R-2, ST&C set @ 5636' w/300 sx

Ideal reg. bulk cmt.

TUBING:

2-7/8", 6.5#, J-55, 8rd, w/Taylor plastic liner, EUE set @ 5420'

PACKERS:

Baker Model 'N' Packer @ 5415'

PMPG. EQUIP:

NONE

REMARKS:

A cast-iron BP is @ 5500'.

WELL HEAD:

6" Ser. 600 CW Type 'F'

10-22-59	Western trtd w/500 gal. acid ISIP 4200#/1600#	Spearhead followed by 3000 15 Min SIP 4200#/1600#.	gals	retarded
----------	--	--	------	----------


10-23-59 Western trtd w/500 gals Spearhead followed by 3000 gals retarded acid ISTP 3700# 15 Min SIP 2800#.

10-25-59 Western trtd w/5000 gal. retarded acid ISIP - vac.

3-30-63 Converted to water injection.

6-26-66 Halliburton trtd w/5000 gals. 28% iron acid containing 2 gal/1000 5-N & 2#/1000 gal. FR-10. ISIP 3200#.

11-28-77 Treated w/ 2000 gal. 28% acid. F.P. 2300 psi, ISIP 2275 psi.



MCELMO CREEK UNIT
THE SUPERIOR OIL CO. OPERATOR
NE SE SEC.14, T41 S, R24 E.
SAN JUAN COUNTY, UTAH.
ELEV. 4619' K.B. T.D. 5636'

REV: 9-5-78

ATTACHMENT I

RULE I-5: Application for Approval of Class II Injection Wells

- (a) Well Data Sheets.
- (b) (1) Plat #1.
 - (2) Well Data Sheets.
 - (3) Well Data Sheets & Logs.(4)
 - i. The average intervening thickness is 4000' between the existing injection interval and the deepest fresh water sand.
 - ii. Maximum Surface Pressure: 2800 psig. Maximum Rate: 4000 BWPD.

FORMATION	DEPTH	LITHOLOGY
Chinle DeChelly Organ Rock Hermosa Upper Ismay Lower Ismay Gothic Desert Creek Chimney Rock	1300' avg. 2350' avg. 2600' avg. 4400' avg. 5370' avg. 5450' avg. 5460' avg. 5550' avg.	Shale Sandstone Shale Limestone Limestone Limestone Shale Limestone Shale Shale
on mindy moon	oooo arg.	Silaic

- (5)
- (i) A throttling valve is installed on the wellhead to control injection rates and pressures.
- (ii) The source of injection water is Superior's production wells within the McElmo Creek Unit. The wells produce from the Ismay and Desert Creek formations with approximate depths of 5300' and 5460' respectively.
- (iii) The analysis of injection water is as follows: (as parts per million).

PH: 6.5 Ca: 13770 ppm S04: 25 ppm CL: 16700 ppm Mg: 11421 ppm H2S: 30 ppm Fe: 3 ppm HCO3: 109.8 ppm Ba: -

CaCO3: 18470 ppm CO3: - Specific

Gravity: 1.0553

- (5) Cont.
 - (iv) The injection zones are the Ismay and Desert Creek formations. Both zones are carbonate formations consisting of limestone, anhydrite and dolomite. The formations extend throughout the Paradox Basin and are underlain by the Chimney Rock Shale and are overlain by the Hermosa Limestone.
 - (v) Fresh water zones (Morrison, Bluff, Entrada) range from 0 to 1300' with Entrada being the deepest and somewhat saline.
 - (vi) The analysis of formation water (Desert Creek) is as follows: (as parts per million).


CaCO3: 22150 ppm CO3: -

PH: 6.6 Ca: 17410 ppm SO4: 33 ppm CL: 34800 ppm Mg: 11518 ppm H2S: 10 ppm Fe: 1.5 ppm HCO3: 48.8 ppm Ba: -

Gravity: 1.0902

Specific

- (6) To assure that injection is confined to intervals intended to receive the disposed water, wireline diagnostic surveys are run periodically to determine whether any escapement is taking place. If such information is discovered, the disposal well will be shut-in until proper measure can be taken. Casing pressure readings are made regularly to verify that no tubing or packer leaks have developed. If such leaks develop, the well will be shut-in until proper repairs can be made.
- (7) N/A.
- (8) The Division will be notified of the date and time to monitor the mechanical integrity test.
- (9) N/A.
- (10) N/A.



on for of

14 x

Budget Bureau No. 42–R355.4. Approval expires 12–31–60.

Santa Fe
U. S. Land Office 14-20-603-370

SERIAL NUMBERNEVE jo

LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Ошра	ny		rr comb	any 	Address	P. O. Drawe				
Company Lessor or Tract Bavajo 'E'					Field	Field White Mesa State Utah				
VX7.11 NT	43-14	Sec. 14 7	, 415 _P	24E Mor	idian SLI	Cor	nntv	ir Juse	I	
Locatio	2031	ft. N. of 3	Line a	711 nd ft.	{ \begin{align*} \beg	Line of	ion 14	Eleva	46 20 ation	
Th	e informa	ntion given he	erewith is	a complet	te and correct	record of the w	ell and al	l work d	lone thereo	
so far a	s can be	determined fr	om all av		7		1			
	**	a laga		Si	gned	D. D. 79				
Date	NCAGO	er 9, 1959				TitleEn	gineer_			
Th	ne summa	ry on this pag	ge is for t ember 1	he condition	on of the well	at above date.	October	XX 25	19 5 9	
Comme	encea arm	ing							10	
			OI		S SANDS On the same G of G	R ZONES				
No. 1	from	5276	to	5422	No 4	from	te)		
M = 0	11 VIII	5434	40	55 83	NT = E	from	+/	`		
-										
No. 3,	from		. to		No. 6,	from	to)		
			T	TO STATE AS A						
			A	MPOKIA	NT WATER	SANDS				
No. 1,	from					from	to)		
,			_ to		No. 3,	from				
,			_ to		No. 3,	from				
No. 2,	from		to	CAS	No. 3, No. 4, ING RECOR	from from RD	to)		
,			_ to	CAS	No. 3, No. 4, ING RECOR	from from RD Cut and pulled from	Perfor	ated To—	Purpose	
No. 2,	Weight per foot	Threads per inch	to	CAS Amount	No. 3, No. 4, ING RECOR	from from Cut and pulled from Cut and pulled from	Perfor	rated To—	Purpose	
No. 2,	Weight per foot	Threads per inch	to	CAS Amount	No. 3, No. 4, ING RECOR	from from Cut and pulled from Cut and pulled from	Perfor	rated To—	Purpose	
No. 2, Size casing	Weight per foot	Threads per inch Fing R. J. A. O. L. F. F. G. F. F. C. F. F. C. F.	to	CAS Amount 12.12.88	No. 3, No. 4, ING RECOR	from Cut and pulled from Shar need the state of the sta	Perfor	ated To— (a) access (b) access (c) Acce	Purpose	
No. 2,	Weight per foot	Threads per inch Fing R. J. A. O. L. F. F. G. F. F. C. F. F. C. F.	to	CAS Amount 12.12.88	No. 3, No. 4, ING RECOR	from from Cut and pulled from Cut and pulled from	Perform— State Line State Line 5449	ated To— (1) AD (7) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Purpose	
No. 2, Size casing	Weight per foot	Threads per inch Fing R. J. A. O. L. F. F. G. F. F. C. F. F. C. F.	to	CAS Amount 12.12.88	No. 3, No. 4, ING RECOR	from Cut and pulled from Shar need the state of the sta	Perfor From— Perfor From— Perfor From From From From From From From Fr	ated To— (a) access (b) access (c) Acce	Purpose	
No. 2, Size casing	Weight per foot	Threads per inch Fing R. J. A. O. L. F. F. G. F. F. C. F. F. C. F.	Make	CAS Amount SELSEA	No. 3, No. 4, ING RECOR Kind of shoe	from Cut and pulled from Super ness the control for the cont	Perfor From— Perfor From— Perfor From From From From From From From Fr	ated To— (1) AD (7) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Purpose	
No. 2, Size casing	Weight per foot	Threads per inch Fixed 3. Access 56 (1977) Fixed 3. Access 56 (1977) Fixed 3. Access 56 (1977)	Make	CAS Amount 88 PLOB AND	No. 3, No. 4, ING RECOR Kind of shoe	from Cut and pulled from Cut and pulled from Chart ness a session prior grant from chart from The content of the content The content of the	Perform— ***********************************	ated To— (1) AD (7) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Purpose	
No. 2, Size casing	Weight per foot	Threads per inch Fixed 3. Access 56 (1977) Fixed 3. Access 56 (1977) Fixed 3. Access 56 (1977)	Make Make Make Mubi Mudi	Amount OR 10 88 OR 10 10 56 36 OR 10 56 3	No. 3, No. 4, ING RECOR Kind of shoe Company of the Company of th	from Cut and pulled from Cut	Perform— ***********************************	To— (1, 300/10) 201-100 201-10	Purpose	
No. 2, Size casing	Weight per foot Where se	Threads per inch Fig. 3. Acces 3. Color 5. Colo	Make Make Make Make Make Mubit Mubit Fracks of ee 125 500	CAS Amount 188 191408 1915634 PLOBA O	No. 3, No. 4, ING RECOR Kind of shoe Control of the control of t	from Cut and pulled from Cut	Perform— ***********************************	To— (1, 300/10) 201-100 201-10	Purpose	
Size casting Size casting Size casting 3-3/8	Weight per foot Where se	Threads per inch Fig. 3. Acces 3. Color 5. Colo	Make Make Make Mubi Mudi	CAS Amount 188 191408 1915634 PLOBA O	No. 3, No. 4, ING RECOR Kind of shoe Control Of Control Method used Circulated	from Cut and pulled from Cut	Perform— ***********************************	To— (1 AUG/10 20 20 20 20 20 20 20 20 20 20 20 20 20 2	Purpose	
Size casing Size casing Size casing 3-3/8' 6-5/8'	Weight per foot Where se	Threads per inch Fig. 3. Acces 3. Color 5. Colo	Make Make Make Make Make Mubit Mubit Fracks of ee 125 500	CAS Amount 188 191408 1915634 PLOBA O	No. 3, No. 4, ING RECOR Kind of shoe Control of the control of t	from Cut and pulled from Cut	Perform— ***********************************	To— (1 AUG/10 20 20 20 20 20 20 20 20 20 20 20 20 20 2	Purpose	
Size casing Size casing Size casing 3-3/8' 6-5/8'	Weight per foot Where se	Threads per inch Fig. 3. Acces 3. Color 5. Colo	Make Make Make Make Make Mubit Mubit Fracks of ee 125 500	CAS Amount 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No. 3, No. 4, ING RECOR Kind of shoe Kind of shoe Control Office Office Control Method used Circulated Circulated Circulated AND ADAP	from Cut and pulled from Mudgravity Cut and pulled from Cut and pulled	Perform From 5449 5567	ated To— C) AND TO 201	Purpose	

			PLUC	GS AN	D AI	APTER	:S			
	-				_			epth set		
Adapters-	-Material									
			SH			ECORD	1			
Size	Shell used	Exp	losive used	Quar	ntity	Date	Depth shot	Depth cleaner out		
				1		!	1			
				TOOL						
Rotary to	ols were used f	rom	urfsce fee	t to	5636	feet,	, and from	feet to	feet	
Cable tool	s were used fro	m	fee	t to		feet,	, and from	feet to	feet	
				D	ATES			Marrowhee A	6 0	
19	hour test,	,	19	1	, Pu	t to prod	lucing	November 4	., 19	
The p	production for	the first	24 hours wa	s	5 ł	arrels of	f fluid of whicl	n was oi;	%	
•	.2. % water;			1				36.1		
If gas	well, cu. ft. p	er 24 hou	ırs		Gall	ons gaso	oline per 1,000	cu. ft. of gas	· 	
Rock	pressure, lbs.	per sq. i	a							
			Drille	EMPI r		_			Drilla	
			•						*	
+			,		ON F	ECORD			-, <i>D</i> I III 01	
FROM-	- то)	TOTAL FE				FORM			
			2492 2677 4442 5276 5422 5434 (-8 5583	814')	Org Her Isa Got Des	Chelly an Roci mosa ay hic Sau ert Cre mney Ro	ile rek			
62 307 4 3 74 6	!! ***	_	I TOTAL TO	, r			WINDA C	170.4		

16-43094-4

610



Copy H. L. E

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.	6
•	

Indian Agency
Vindow Rock
Allottee Havajo
Lease No. 14-20-603-370

SUNDRY	NOTICES AN	ND REPOR	RTS ON WELLS	
NOTICE OF INTENTION TO DRILL		SUBSEQUENT REP	ORT OF WATER SHUT-OFF	1
NOTICE OF INTENTION TO CHANGE	PLANS.		ORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WAT	ER SHUT-OFF	li .	ORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL	ı	ll:	ORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OF	R ACIDIZE	- 41	ORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR	ALTER CASING	SUPPLEMENTARY		
NOTICE OF INTENTION TO ABANDON	WELL	Subsequent	Report of Conversion	
		to Inject	ion	X
(INDICAT	TE ABOVE BY CHECK MARK NA	TURE OF REPORT, NOT	TICE, OR OTHER DATA)	
· 3	**	A	ril 4	19 63
dell'ima desart Mada		•		-,
AcElmo Creek Unit	. 1 6. 6	(1 11)	. (E.)	
well INO	ated 2031 ft. from	$1 \left\{ \begin{array}{c} 1 \\ S \end{array} \right\}$ line and A	111 ft. from E line of sec	. 14
			[]	
NE SE Sec. 14 (14 Sec. and Sec. No.)	418 (Twp.)	Range)	(Meridian)	
Greater Aneth	,	Juan	Utah	
(Field)	/	Subdivision)	(State or Territory)	
		·	,	
The element				
ine elevation by the transfer	Stork above sea level	l is 4620 ft.	K.B.	
The elevation state terms	Acor above sea level	l is <u>4620</u> ft.	K.B.	
ine elevation protesterior		l is 4620 ft. S OF WORK	K.B.	
,	DETAIL!	S OF WORK		bs, cement
,	DETAIL!	S OF WORK	K.B. of proposed casings; indicate mudding job work)	bs, cement
State names of and expected depths to	DETAILS objective sands; show sizes, ing points, and all othe	S OF WORK weights, and lengths or important proposed	of proposed casings; indicate mudding jo i work)	
State names of and expected depths to	DETAILS objective sands; show sizes, ing points, and all other	S OF WORK weights, and lengths or important proposed	of proposed casings; indicate mudding jo I work) Type Production Pkr @	
State names of and expected depths to	DETAILS objective sands; show sizes, ing points, and all othe	S OF WORK weights, and lengths or important proposed	of proposed casings; indicate mudding jo I work) Type Production Pkr @	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to March 30, 1963: Set B On 2-	DETAILS objective sands; show sizes, ing points, and all other	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to March 30, 1963: Set B On 2-	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to farch 30, 1963: Set B	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ma	S OF WORK weights, and lengths or important proposed N * Permanent trlex Plastic	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	
State names of and expected depths to iarch 30, 1963: Set B on 2-	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ms d annulus w/crud	S OF WORK weights, and lengths of primportant proposed. N' Permanent triex Plastic le & pressure	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner.	5415'
State names of and expected depths to iarch 30, 1963: Set B on 2- Fille I understand that this plan of work	DETAILS objective sands; show sizes, ing points, and all other sizes. aker 5½ Hodel 7/8% tubing w/Ms d annulus w/crud	S OF WORK weights, and lengths of the serimportant proposed. N' Permanent arlex Plastic le & pressure.	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner. Ed to 500#.	5415'
State names of and expected depths to iarch 30, 1963: Set B on 2- Fille I understand that this plan of work	DETAILS objective sands; show sizes, ing points, and all other sizes. aker 5½ Hodel 7/8% tubing w/Ms d annulus w/crud	S OF WORK weights, and lengths of the serimportant proposed. N' Permanent arlex Plastic le & pressure.	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner. Ed to 500#.	5415
State names of and expected depths to iarch 30, 1963: Set B on 2- Fille I understand that this plan of work: Company The Superior	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ms d annulus w/crud	S OF WORK weights, and lengths of the serimportant proposed. N' Permanent arlex Plastic le & pressure.	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner. Ed to 500#.	5415
State names of and expected depths to iarch 30, 1963: Set B on 2- Fille I understand that this plan of work: Company The Superior	DETAILS objective sands; show sizes, ing points, and all other aker 5½ Model 7/84 tubing w/Ms d annulus w/crud	S OF WORK weights, and lengths of the serimportant proposed. N' Permanent arlex Plastic le & pressure.	of proposed casings; indicate mudding job work) Type Production Pkr (a) Liner. Id to 500%.	5415
State names of and expected depths to farch 30, 1963: Set B on 2-	DETAILS objective sands; show sizes, ing points, and all other aker 5½: Model 7/8* tubing w/Ms d annulus w/crud	S OF WORK weights, and lengths of important proposed. N' Permanent triex Plastic le & pressure	of proposed casings; indicate mudding join work) Type Production Pkr @ Liner. Ed to 500#.	5415

Title Engineer

•			
Form 9-331 (May 1963) DEPARTME	OF THE INTERIOR	OR SUBMIT IN PI CE* (Other institutes of the verse side)	Form approved. Rudget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.
GEO	DLOGICAL SURVEY		14-20-603-370
SUNDRY NOTICE (Do not use this form for proposals Use "APPLICATIC	to drill or to deepen or plug ba		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1. OIL GAS		<i>y</i> + 100000000000000000000000000000000000	Navajo 7. UNIT AGREEMENT NAME
WELL WELL OTHER	Water Injection		McElmo Creek
2. NAME OF OPERATOR	O I L COMPANIA		8. FARM OR LEASE NAME
THE SUPERIOR 3. ADDRESS OF OPERATOR	UTL COMPANY		9. WELL NO.
P. O. Drawer	HGH Cortez Col	orado	E-23
P. O. Drawer 4. LOCATION OF WELL (Report location clear See also space 17 below.)	ly and in accordance with any S	state requirements.*	10. FIELD AND POOL, OR WILDCAT
At surface 2031' FSL 711	' FEL		McElmo Creek Unit
NE SE Sec. 14			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
San Juan Coun	ty, Utah		5 14 7110 0015
14. PERMIT NO.	5. ELEVATIONS (Show whether DF,	RT, GR, etc.)	Sec. 14, T41S R24E 12. COUNTY OR PARISH 13. STATE
	4619 K	'R	San Juan Utah
16. Check Appro		ature of Notice, Report, or O	
NOTICE OF INTENTION			ENT REPORT OF:
TEST WATER SHUT-OFF PULI	OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
	TIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE ABAN	NDON*	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL CHAI	NGE PLANS	(Other) Stimulati	on X
(Other)		(Note: Report results	of multiple completion on Well etion Report and Log form.)
Flushed with	s 5445-56' w/5000 g 6500 gal water p to injection	gal 28% iron acid.	
18. I hereby certify that the foregoing is true SIGNED	TITLE Pro	oduction Engineer	August 10, 1966
APPROVED BY	TITLE		DATE

Formerly 9-331) DEPARTMENT OF THE INTERIOR (Other Instructions) In	S. LEADS DESIGNATION AND BRAIAL M
BUREAU OF LAND MANAGEMENT	14-20-603-370 6. BY EMDIAH, ALLOTTER OR TRIBE WA
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.	
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	NAVAJO
CATHODIC PROTECTION	MCELMO CREEK
SUPERIOR OIL COMPANY, through its Agent, MOBIL OIL CORP.	MCELMO CREEK
P. O. DRAWER 'G', CORTEZ, COLORADO 81321	9. WELL NO. E-23
6. LOCATION OF WELL (Report location clearly and in accordance with any blatte requirement.) See also apace 17 below.) At surface	10. PIBLO AND POOL, OR WILDCAT GREATER ANETH
2031' FSL, 711' FEL, NESE NOV 2 2 1985	Sec. 14, J41S, R24E,
18. PERMIT NO. 43-037-16344 18. PERMITONS (Short whether NV. NT. CR. sta.) UN UP OIL	SAN JUAN PARIE 18. OTAR
Check Appropriate Box To Indicate Nature of Notice, Report, or	01.0
PEACTURE TREAT SHOOT OR ACIDIES REPAIR WELL CHANGE PLANE WATER REDT-099 PRACTURE TREAT ABANDON* SHOOTING OR ACIDIESING (Other)	TABLES CARING SELVING
	ts of multiple completion on Well pletion Report and Log form.)
17. BESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent date monoposed work. If well is directionally drilled, give subsurface locations and measured and ways next	e facinding codes and district
17. BESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent date proposed work. If well is directionally drilled, give subsurface locations and measured and true vertinent to this work.) •	e facinding codes and district
. Blobosed more: It men to directionary dirited fire amountaine sociations will messified will fills Asili	e facinding continues of the same
27. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent date proposed work. If well is directionally drilled, give subsurface locations and measured and true vertinent to this work.) To maximize effective corrosion control of metallic piping and structure ground, Mobil Oil Corporation, Agent for Superior Oil Company, proposelectrified cathodic protection system consisting of a subsurface ground above ground rectifier which has a lead connected to the well	a including estimated date of starting cal depths for all markers and sones positives down hole and aboves ses to construct an aphite anode bed connect
To maximize effective corrosion control of metallic piping and structured and the vertical company, proposed and the vertical control of metallic piping and structured and the vertical control of metallic piping and the v	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of
To maximize effective corrosion control of metallic piping and structured, Mobil Oil Corporation, Agent for Superior Oil Company, proposelectrified cathodic protection system consisting of a subsurface grate an above ground rectifier which has a lead connected to the well the construction will consist of a trench, 140' long, 6' deep and 2' area of the well location. All construction will be confined to explocation. Existing electrical power to the well will be used for the	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of
To maximize effective corrosion control of metallic piping and structured, Mobil Oil Corporation, Agent for Superior Oil Company, proposelectrified cathodic protection system consisting of a subsurface grate an above ground rectifier which has a lead connected to the well the construction will consist of a trench, 140' long, 6' deep and 2' area of the well location. All construction will be confined to explocation. Existing electrical power to the well will be used for the	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of
To maximize effective corrosion control of metallic piping and structured and the vertical maximize effective corrosion, Agent for Superior Oil Company, proposelectrified cathodic protection system consisting of a subsurface grate an above ground rectifier which has a lead connected to the well. The construction will consist of a trench, 140' long, 6' deep and 2' area of the well location. All construction will be confined to exilocation. Existing electrical power to the well will be used for the	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of
To maximize effective corrosion control of metallic piping and structured, Mobil Oil Corporation, Agent for Superior Oil Company, proposelectrified cathodic protection system consisting of a subsurface grate an above ground rectifier which has a lead connected to the well the construction will consist of a trench, 140' long, 6' deep and 2' area of the well location. All construction will be confined to explocation. Existing electrical power to the well will be used for the	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of
To maximize effective corrosion control of metallic piping and structured and the vertical maximize effective corrosion, Agent for Superior Oil Company, proposelectrified cathodic protection system consisting of a subsurface grate an above ground rectifier which has a lead connected to the well. The construction will consist of a trench, 140' long, 6' deep and 2' area of the well location. All construction will be confined to exilocation. Existing electrical power to the well will be used for the	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of his cathodic protection
To maximize effective corrosion control of metallic piping and structure ground, Mobil Oil Corporation, Agent for Superior Oil Company, proposed ectrified cathodic protection system consisting of a subsurface ground and above ground rectifier which has a lead connected to the well the construction will consist of a trench, 140' long, 6' deep and 2' area of the well location. All construction will be confined to exploration. Existing electrical power to the well will be used for the system.	tures down hole and aboves to construct an aphite anode bed connect casing. wide in the old reserve sting disturbed area of his cathodic protection

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with <u>Mobil Exploration and Producing North America Inc. (MEPNA)</u>, which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

CNE8661

R. D. Baker Environmental Regulatory Manager

was a second of the second of

In the context well compliance data file (page 1 of 2)

FOR THE GREATER ANETH FIELD 05/13/36

PROPERTY NAME	WELL NAME	COUNTY	STAT	E SEC TWASHP RNG	S T WELL A FEDERAL SI TYPE T API NUMBER LEASE NUMBER NO	TATE UNIT UMBER NUMBER
GOTHIC MESA	9-24	JAN JUAN	UT	SE SW 9-415-23E	INJ SI 43-037-16452 14-20-603-242	94-004216
	9-44	SAN JUAN	UT	SE SE 9-41S-23E	INJ SI 43-037-16451-14-20-603-242	94-004216
	16-24	MAUL MAZ	UT	SE SW 16-41S-23E	INJ SI 43-937-16454 14-29-693-243	94 -0 94216
	16-44	MAUL MAR	UT	SE SE 16-413-23E	INJ SI 43-037-16453 14-20-603-243	94-004216
MC ELMO CREEK	A17-1	MAUL MAS	IJŢ	NE NE 10-415-24E	INJ OP 43-037-05592 14-20-0603-6148	96-004190
	A17-2	SAN JUAN	UT	NE NE 10-415-24E	INJ SI 43-037-05592 14-20-0603-6140	96-004190
	8-13	SAN JUAN	UT	NU NU 2-415-24E	INJ OP 43-037-05701 14-20-603-6509	96-004190
	B-15	JAN JUAN	UT	NW SW 02-415-24E	INJ OP 43-037-05657 14-20-603-6508	96-004190
	D-13	MAUL MAZ	UT	NU NE 2-415-24E	INJ OP 43-037-16267 14-20-603-6510	96-094190
	D-15	SAN JUAN	UT	NW SE 2-415-24E	INJ OP 43-037-05656 14-20-0603-6147	76-004190
	0-17	SAN JUAN	UT	NW NE 11-415-24E	INJ OP 43-037-15704 14-20-603-5447	96-00419 0
	E-19	MAUL MAZ	UT	NE SE 11-413-24E	INJ OP 43-037-16342 14-20-603-5449	96 -00 419 0
	E-21	SAN JUAN	IJ٢	NE NE 14-415-24E	INJ OP 43-937-16343 14-20-603-379	96-004190
	E-23	HAUL KAZ	UT	NE SE 14-413-24E	INJ OP 43-037-16344 14-20-603-370	96-004190
	F-11	SAN JUAN	UT	NW SW 36-405-24E	INJ OP 43-037-05743 14-20-0603-6146	96-004190
	F-13	KAUL HAZ	UT	NW NW 01-415-24E	INJ OF 43-037-16345 14-20-603-4032	98-604190
	F-15A	SAN JUAN	UT	NW SW 1-415-24E	INJ CP 43-037-31149 14-20-693-4032	96-004190
	F-17	San Juan	UT	NN NN 12-413-24E	INJ OP 43-037-15493 14-20-603-4039	96-064190
	F15A	HAUL MAZ	UT	N# SU 01-415-24E	INJ OP 43-037-31149 14-20-603-4032	76-004190
	G-18	MAUL MAZ	UT	SE NW 12-415-24E	INJ <u>OP 43-037-15494 14-20-603-4039</u>	9 6-004190
	6-19	NAUL NAZ	UT	NE SW 12-415-24E	INJ OP 43-037-05532 14-20-603-5450	96-004190
	G-21	SAN JUAN	UT	NE NW 13-415-24E	INJ SI 43-037-16347 14-20-603-370	96-004196
	G-21A	SAN JUAN	UT	NE NW 13-415-24E	INJ 0P 43-037-30974 14-20-603-370	96-004190
	G-23	SAN JUAN	UT	NE SW 13-415-24E	INJ OP 43-037-16348 14-20-603-376	96-004190
	G-25	SAN JUAN	UT	HE N₩ 24-415-24E	INJ OP 43-037-16349 14-20-603-370	96 -004190
	H-11	SAN JUAN	UT	NW SE 36-40S-24E	INJ OF 43-037-05739 14-20-0603-6145	96-864198
	H-13	SAN JUAN	üŢ	H4 HE 01-418-24E	INJ OP 43-037-05708 14-20-603-4032	96-004190
	H-15	SAN JUAN	UT	NN SE 01-415-24E	INJ OP 43-037-05666 14-20-603-4039	96-004190
	H-17	SAN JUAN	UT	14-NE 12-415-24E	INJ OP 43-937-05805 14-20-603-4039	96-004190
•	I-20	SAN JUAN	UT	SE SE 12-418-24E	INU OF 43-637-05524 14-20-603-4495	96-064190

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

perator: Super	'n	Well No. MC	Elno Creek U	N E23
ounty: Sur Con	T415 RR2	4 E Sec. 14	API# 45-0	37.167 554
ew Well Conver	sion Disposal W	vell Enhar	nced Recovery	Well 🗶
			YES	<u>NO</u>
UIC Forms Com	sleted			
Plat including and wells o	og Surface Owners. I of available record	_easeholders,		
Schematic Dia	glan			
Fracture into	ormation			
Pressure and	Rate Control			
Adequate Geol	logic Information		Name of the	<u> </u>
Fluid Source			Ower to	red -
Analysis of I	Injection Fluid	Yes		TDS 600000
Analysis of to be injec	Water in Formation oted into	Yes		tos 70000 +
Known USDW i	n alea	Warga	Depth Depth	1300
Number of we	lls in area of revi		Prod. 2 Water 0	P&A <u> </u>
Aquifer Exem	ption	Yes	NA V	·
: Mechanical I	ntegrity Test		No	Materian ?
Comments:				
Reviewed by:	Alexander of the second	4 # ⁷⁷		

UTAH DIVISION OF OIL, GAS AND MINING CASING-BRADENHEAD TEST

OPERATOR:	ME	PNA						
FIELD: Greater Aneth LEASE: MEIMO Creek								
WELL # E-	23	(4	3-/4)	_SEC/4	TOWNSHIP 4/ S RANGE	24E		
STATE FED. F	EE DEPI Petd	н 5636	TYP	e well <i>JN</i>	JW MAX. INJ. PRESS.			
TEST DATE	9/11/8	0 00 1	Wal	en Tours Sc	3/13/86	4000 BW		
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE		
SURFACE	133/8	88'	1 <u>25 sx</u>		Well leaking			
INTERMEDIATE	85/8	1408	5 <u>00 sx</u>		_ profusely &+ wellhead	·		
PRODUCTION	51/2	5636	3 <u>00 s x</u>		Bob shut well in			
TIDING	77/2	5420			on discovery;			
TUBING Ba		Packer Packer			by closing the casing			
CASING STRING	CIBPO	SET AT		PRESSURE READINGS	by closing the casing value, the water was finally shut off REMARKS	FUTURE		
SURFACE	`							
INTERMEDIATE			******	•				
PRODUCTION					-			
TUBING								
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE		
SURFACE	 .	. <u> </u>						
INTERMEDIATE								
PRODUCTION								
TUBING					·			

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No.

14-20-603-370 6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

MCEL MO CREEK LINIT

FORM APPROVED

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

NAVAJO TRIBAL

		MOETWO OUTER OUI
1. Type of Well Oil Gas Well Well X Other INJECTION		8. Well Name and No.
2. Name of Operator		E-23
MOBIL OIL CORPORATION		9. API Well No.
3. Address and Telephone No.		—
•	(918) 688–2585	43-037-16344
P O BOX 633 MIDLAND, TX 70702		10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De. 2031 FSL, 711 FEL SEC 14, T41S, R2	scription) 4E NE SE	GREATER ANETH
2001102, 711122 020 14, 1410, 112		11. County or Parish, State
		SAN JUAN, UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	N
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
, , ,	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
E I har Abandonnent Total	Other SI STATUS	Dispose Water
	Circle George	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all	pertinent details, and give pertinent dates, including estimated date of start	ting any proposed work. If well is directionally drilled
give subsurface locations and measured and true vertice	depths for all markers and zones pertinent to this work.)*	DODUCE AT THE TIME
MOBIL REQUEST SHUT-IN STATUS FOR REP	ERENCED WELL. WELL IS UNECONOMICAL TO F	THUDUCE AT THIS TIME.

Accepted by the State of Utah Division of Oil, Gas and Ushing

Date: Fectoral Approval of the

By: _______Action is Necessary

/ UG C 2 1393

DIVISION OF CIL GAS & MINING

14. I hereby certify that the foregoing is true and correct		
Signed Shirley dodd SHIRLEY TODD	Title ENV. & REG. TECHNICIAN	Date 7-28-93
(This space for Federal or State office use)		
Approved by Conditions of approval, if any:	Title	_ Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent state or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

Dispose Water (Note: Report results of multiple co

Completion or Recompletion Report and Log form.)

14-20-603-370 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for sac **NAVAJO TRIBAL** 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE MCELMO CREEK UNIT 1. Type of Well 7 1993 SEP X Other INJECTION 8. Well Name and No. E-23 2. Name of Operator MOBIL OIL CORPORATION 9. API Well No. 3. Address and Telephone No. 43-037-16344 (918) 688-2585 P O BOX 633 10. Field and Pool, or Exploratory Area MIDLAND, TX 70702 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2031 FSL, 711 FEL SEC 14, T41S, R24E NE SE **GREATER ANETH** 11. County or Parish, State SAN JUAN, UTAH CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF ACTION TYPE OF SUBMISSION Notice of Intent Change of Plans Abandonment Recompletion **New Construction** X Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Conversion to Injection Altering Casing

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
THIS WELL WAS PUT ON INJECTION 8-30-93.

Other ON INJECTION

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

	Well File [] Suspense (Return Date) OPER NM CHG (API No.) [] Suspense (To - Initials)
1.	Date of Phone Call: 8-3-95 Time:
2.	DOGM Employee (name) L. CORDOVA
3.	Topic of Conversation: MEPNA/N7370
	·
4.	Highlights of Conversation: OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.
	*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL. GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

STATE OF UTAH INVENTORY OF INJECTION WELLS

### ### ### ### ### ### ### ### ### ##		ATOR *****	API NO.	WELL *****	TNS * * *	RGE ***	SE **	WELLTYPE	INDIAN COUNT
MOBIL 43-037-16344 B-23	,								
Merna (Mobil 43-037-16343 E-21									
MEPNA MOBIL 43-037-16363 1-25									
MEDNA MOBIL 43-037-16349 G-25 418 24E 24 INJW Y		•							
MOBIL 43-037-16384 V-15	/	•							
MOBIL 43-037-16383 V-13 418 25E 3 INJW Y		`							
MOBIL 43-037-16157 U-16		`							
MOBIL 43-037-16148 R-13		`							
MEPNA MOBIL 43-037-16149 R-15		`					_		
Mepna (Mobil 43-037-16378 T-13		•							
MEPNA MOBIL 43-037-16379 T-15		•							
Mepna Mobil 43-037-16155 U-14	- /	`					_		
MEPNA MOBIL 43-037-16152 S-16	• /	•					_		
MEPNA MOBIL 43-037-16151 S-14		•					_		
MEPNA MOBIL 43-037-15365 O-14	•	`					_		
MEPNA MOBIL 43-037-15969 O-16		•						T NT TT-7	
MEPNA MOBIL 43-037-15966 N-13	-	`						•	
MEPNA	-	`							
MEPNA		•							
MEPNA MOBIL 43-037-15974 Q-14 41S 25E 5 INJW Y MEPNA MOBIL 43-037-15972 P-15 41S 25E 5 INJW Y Y MEPNA MOBIL 43-037-16368 P-13 41S 25E 5 INJW Y MEPNA MOBIL 43-037-15950 L-15 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15959 L-13 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15959 L-13 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15959 L-14 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15959 L-14 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15957 K-16 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15957 K-16 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15954 J-15 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15956 K-14 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15956 K-14 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15956 K-14 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15958 J-17 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15950 M-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15505 K-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15517 O-18 41S 25E 9 INJU Y MEPNA MOBIL 43-037-16367 R-17 41S 25E 9 INJU Y MEPNA MOBIL 43-037-16367 R-17 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-1		•							
MEPNA MOBIL 43-037-15972 P-15	-	`		~					
MEPNA MOBIL 43-037-16368 P-13		`							
MEPNA MOBIL 43-037-15960 L-15		•							
MEPNA (MOBIL 43-037-16355 J-13		•							
MEPNA		•							
MEPNA MOBIL 43-037-15963 M-14 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15957 K-16 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15954 J-15 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15954 J-15 41S 25E 6 INJI Y MEPNA MOBIL 43-037-15956 K-14 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15498 J-17 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15591 M-20 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16350 K-20 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA MOBIL 43-037-16373 R-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-16374 R-21 41S 25E 9 INJW Y MEPNA MOBIL 43-037-16374 R-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16374 R-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16374 R-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-1	- /	\							
MEPNA MOBIL 43-037-15957 K-16		\							
MEPNA (MOBIL 43-037-15954 J-15 41S 25E 6 INJI Y MEPNA (MOBIL 43-037-15956 K-14 41S 25E 6 INJW Y MEPNA (MOBIL 43-037-15498 J-17 41S 25E 6 INJW Y MEPNA (MOBIL 43-037-15511 M-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16350 K-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL		`							
MEPNA MOBIL 43-037-15956 K-14 41S 25E 6 INJW Y MEPNA MOBIL 43-037-16361 M-16 41S 25E 6 INJW Y MEPNA MOBIL 43-037-15511 M-20 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15511 M-20 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 7 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA MOBIL 43-037-15976 R-17 41S 25E 9 INJU Y MEPNA MOBIL 43-037-16360 T-17 41S 25E 9 INJU Y MEPNA MOBIL 43-037-16360 T-17 41S 25E 9 INJU Y MEPNA MOBIL 43-037-16360 T-17 41S 25E 9 INJU Y MEPNA MOBIL 43-037-16360 T-17 41S 25E 16 INJW Y MEPNA MOBIL 43-037-16360 P-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y MEPNA MOBIL 43-037-		•							
MEPNA (MOBIL 43-037-16361 M-16 41S 25E 6 INJW Y MEPNA (MOBIL 43-037-15498 J-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15511 M-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 M-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL	_	`							
MEPNA (MOBIL 43-037-15498 J-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15511 M-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15503 K-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL		`							
MEPNA (MOBIL 43-037-15511 M-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15503 K-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-23 41S 25E 17 INJW Y MEPNA (MOBIL 43		•							
MEPNA (MOBIL 43-037-15510 M-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15503 K-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16364 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		•							
MEPNA (MOBIL 43-037-15505 L-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15503 K-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y		`							
MEPNA (MOBIL 43-037-16360 L-17 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15503 K-20 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-16369 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y	/	`							
MEPNA MOBIL 43-037-15503 K-20		`							
MEPNA (MOBIL 43-037-16357 K-18 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y									
MEPNA (MOBIL 43-037-16356 J-19 41S 25E 7 INJW Y MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15520 P-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y	_	`							
MEPNA (MOBIL 43-037-15519 P-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15520 P-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16376 R-17 41S 25E 9 INJU Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		`							
MEPNA (MOBIL 43-037-15515 N-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15520 P-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		*							
MEPNA (MOBIL 43-037-15514 N-17 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15520 P-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		`							
MEPNA (MOBIL 43-037-15520 P-19 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL							
MEPNA (MOBIL 43-037-15517 O-18 41S 25E 8 INJW Y MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL							
MEPNA (MOBIL 43-037-16373 R-19 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL							
MEPNA (MOBIL 43-037-15976 R-17 41S 25E 9 INJI Y MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL							
MEPNA (MOBIL 43-037-16380 T-17 41S 25E 9 INJW Y MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL		R-19				INJW	
MEPNA (MOBIL 43-037-16374 R-21 41S 25E 16 INJW Y MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL	43-037-15976		41S			INJI	
MEPNA (MOBIL 43-037-31439 P-23A 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL	43-037-16380	T-17	41S	25E	9	INJW	
MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		(MOBIL	43-037-16374	R-21	41S	25E	16	INJW	
MEPNA (MOBIL 43-037-15516 N-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y			43-037-31439	P-23A	41S	25E	17	INJW	
MEPNA (MOBIL 43-037-16369 P-21 41S 25E 17 INJW Y MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y			43-037-15516		41S	25E	17	INJW	
MEPNA (MOBIL 43-037-16364 N-23 41S 25E 17 INJW Y		`					17		Y
V \ \		•							
₹	•	`					18		Y

	n of Oil, Gas and Mining FOR CHANGE WORKSHEET				Routing:
	all documentation received by the division regar each listed item when completed. Write N/A if		able.		2_LWP 8-SJ 3=PE3 9-FILE
	nge of Operator (well sold) ignation of Operator XXX	Designation of Operator Name (Agent Change Only	Y	5-RJF 6-LWP
The op	perator of the well(s) listed below has	changed (EFFEC	TIVE DATE:	8-2-95)
TO (ne	ew operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370	FROM (former	operator) (address)	C/O MOBIL PO DRAWER CORTEZ CO	G 81321 3 >564-5212
Hell(s) (attach additional page if needed):				
Name: Name: Name: Name: Name:	** SEE ATTACHED ** API:	Entity: Entity: Entity: Entity: Entity:	SecTw _ SecTw _ SecTw _ SecTw _ SecTw	pRng pRng pRng pRng	Lease Type: Lease Type: Lease Type: Lease Type:
1	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other legal operator (Attach to this form). (Rule R615-8-10) Sundry or other legal (Attach to this form).				
<u>µ/A</u> 3.	The Department of Commerce has been coperating any wells in Utah. Is comyes, show company file number:	pany registered	new opera with the	itor above state? (y	is not currently es/no) If
N/A 4.	(For Indian and Federal Hells ONLY) (attach Telephone Documentation Form comments section of this form. Mana changes should take place prior to comments.)	n to this repo gement review on apletion of ster	ort). Mak of Federal os 5 throud	e note of and India h 9 below.	BLM status in an well operator
4	Changes have been entered in the Oil listed above. $(8-3-95)$				M) for each well
W 6.	Cardex file has been updated for each	well listed abo	ove. 8_3/_9	₹~	
W 7.	Well file labels have been updated for	each well list	ed above.	9-28-95	
1	Changes have been included on the mor for distribution to State Lands and th	e Tax Commissic	on. (8-3-95))	
Lico.	A folder has been set up for the Oper placed there for reference during rout	rator Change fill	le, and a sing of the	copy of the	is page has been documents.

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/no) (If entity assignments were changed, attach copies Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only) * No Fee Leese Wells at this time!
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by let dated 19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
1. All attachments to this form have been microfilmed. Date: October 4 19 9
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operat Change file.
COMMENTS
950803 W.C F5/Not necessary!

WE71/34-35

Form 3160-5 (June 1990)


UNITED STATES DEPARTMENT OF THE INTERIOR RUBEAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

(JULIC 1770)	DEI MICHIENT O	THE INTERIOR	Expires, Materi 51, 1995	
	BUREAU OF LAN	ID MANAGEMENT	5. Lease Designation and Serial No.	
Do not use this fo	SUNDRY NOTICES AND I	REPORTS ON WELLS o deepen or reentry to a different reservoir.	14-20-603-370 6. If Indian, Allottee or Tribe Name	
	Jse "APPLICATION FOR PER		NAVAJO TRIBAL	
		TRIPLICATE	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT	
1. Type of Well Oil Gas Well 2. Name of Operator	X Other	10. A	8. Well Name and No. MCELMO CREEK UNIT E-23	
±M	BIL PRODUCING TX & NM IN	JCING US INC. AS AGENT FOR MPTM	9. API Well No.	
3. Address and Telephone	No.		43-037-16344	
P.O. Box 633.	Midland TX 79702 ge, Sec., T., R., M., or Survey Descrip	(915) 688-2585	10. Field and Pool, or exploratory Area	
(NE/SE) SEC.14 2031' FSL & 71	, T41S, R24E	uon)	GREATER ANETH 11. County or Parish, State SAN JUAN UT	
12. CHECK	APPROPRIATE BOX(s) T	O INDICATE NATURE OF NOTICE, REPOR	19/11/9/9/	
	BUBMISSION	TYPE OF ACTIO		
Notice	of Intent	Abandonment	Change of Plans	
		Recompletion	New Construction	
X Subseq	uent Report	Plugging Back	Non-Routine Fracturing	
Final	Abandonment Notice	Casing Repair	Water Shut-Off	
Filial	TOURISHOURING IN TOURCE	Altering Casing X Other MIT & CHART	Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
13. Describe Proposed or Com give subsurface le	apleted Operations (Clearly state all pertiocations and measured and true vertical d	inent details, and give pertinent dates, including estimated date of st lepths for all markers and zones pertinent to this work.)*		
SCHEDULED MIT	(1998 & 1999)			
ATTACHED ************************************	CHART	DIECENTO	15.	
		MAR 05 1999		
		TO TENT ME &	MINI	

Date	
	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



مغرهم درجو.

ExxonMobil Production Comp. U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

1 2001

DELICATION OF CELEVAL AND MINING



United States Department of the Interior

NAVATOREGTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

RRES/543

AUG 3 0 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MENERAL RESOURCES ADM J GS //C NATV AM NEN COORD SOLID ATM TEAM PETRO MENT TEAM Z
O&GENJHECH YEAM
ALL TEAM LEADERS LAND RESOURCES ENVIRONMENT FILES

Navajo Region Office

RES - Minerals Section

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

1/12/w/ #D 543 **EXONMODII**

Production

BEBUE

JUL # 477

Change of Name ~
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issue

Charlotte U. Harper

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of of Corporation), of	fficers and director	Of ExxonMobil Oil Corporation	(Name of
· ·		(State) is as follows:	
Dualdant		OFFICERS	
President F.A. Ris		Address 5959 Las Colinas Blvd. Irving.	<u>TX 75</u> 039
Vice President K.T. I	Koonce	Address 800 Bell Street Houston, TX 77	002
Secretary F.L. Re	eid	Address 5959 Las Colinas Blvd. Irving.	TX 75039
Treasure B.A. Ma	aher	Address 5959 Las Colinas Blvd. Irving.	<u>TX 750</u> 39
		DIRECTORS ,	
Name D.D. Humphreys		Address 5959 Las Colinas Blvd. Irving, TX	75039
Name P.A. Hanson		Address 5959 Las Colinas Blvd. Irving, TX	
Name <u>T.P. Townsend</u>		Address 5959 Las Colinas Blvd. Irving, TX	
Name <u>B.A. Maher</u>			
Name <u>F.A. Risch</u>		Address S959 Las Colinas Blvd. Irving, TX	
	Č	Singerely, Warea Alex Correa	
and in the custo	/idenced by the rec idy of <u>Corp</u> oration S	pertaining to ExxonMobil Oil Corporation (Corporation (Co	Utah 1800
(CORPORATE SEAL)	•	Signature AGENT AND ATTERNEY IN FACT Title	
Mark the second		•	

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. a. Mileican
Assistant Secretary

COUNTY OF DALLAS

STATE OF TEXAS

UNITED STATES OF AMERICA

)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Ganice M. Phillip.
Notary Public


LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447 18)
- 14-20-603-5448 19)
- 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

CHUBB GROUP OF INSURANCE COMPANIES

G. Weiler Cone South, Suite 1800, Mouston Texas, 77027-3301
 G. Weiler J. (19) 287-4600 r. Fensinger (713) 287-4750



FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation


All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact





Federal insurance Company **Vigilant Insurance Company** Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

STATE OF NEW JERSEY

County of Somerset

On this 10th day of May, 2001

to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duty sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E.

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 28 2004 CM

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelmile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facelmile signature or faceimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Treasury Department; further, Federal and Vigilant are illoensed in Puerto Rico and the U.S. Virgin Islands, and Federal is sceneed in American Semos, Guern, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/09

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

ŌΈ

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The comporate name of said Company shall be,
 ExconMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

5184334741

06/01 '01 09:01 NO.411 02/02 **-01**0601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK

Filed by: EXXONMOBIL CORPORATION

: "

FILED JUN 0 1 2001

TAX S

5959 Las Colinas Blvd.

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

191 C 5 2001

010601000

,TEL=5184334741

06/01/01 08:19

=> CSC

State of New York | State | Ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

X Operator Name Change

Merger

NAME RNG NO TYPE TYPE S NAVAJO 2-D (MCELMO A-17)	
Address: P O BOX DRAWER "G" CORTEZ, CO 81321 Phone: 1-(970)-564-5212 Account No. N7370 CA No. Unit: MCELMO CREEK WELL(S) SEC TWN RNG NAVAJO 2-D (MCELMO A-17) 10-418-24E 43-037-15318 9990 INDIAN WI A MCELMO CREEK 1-12 43-037-15494 5980 INDIAN WI A MCELMO CREEK 1-12 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-12 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-13 400-17 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-15709 5980 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-20 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-12 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-12 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-12 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-12 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-12 12-418-24E 43-037-16349 69990 INDIAN WI A MCELMO CREEK 1-12 12-418-24E 43-037	
CORTEZ, CO 81321	
Phone: 1-(970)-564-5212	
Phone: 1-(970)-564-5212 Phone: 1-(713)-431-1010 Account No. N7370 Account No. N7370 CA No. Unit: MCELMO CREEK	
Account No. N7370 Account No. N1855	
NAME RNG NO NENTITY LEASE WELL	
SEC TWN RNG RNG NO TYPE TYPE S	
SEC TWN RNG	
NAME NAVAJO 2-D (MCELMO A-17) 10-41S-24E 43-037-16338 9990 INDIAN WI A MCELMO CR C-18 11-41S-24E 43-037-15702 9980 INDIAN WI A NAVAJO H-2 (MCELMO D-17) 11-41S-24E 43-037-15704 9990 INDIAN WI A NAVAJO D-2 (MCELMO E-19) 11-41S-24E 43-037-15704 9990 INDIAN WI A MCELMO CR G-18 12-41S-24E 43-037-15704 9990 INDIAN WI A MCELMO CR G-18 12-41S-24E 43-037-15704 9990 INDIAN WI A MCELMO CREEK I-18 12-41S-24E 43-037-15705 9980 INDIAN WI A MCELMO CREEK I-18 12-41S-24E 43-037-15705 9980 INDIAN WI A NAVAJO TRACT 13-4 (MCELMO F-17) 12-41S-24E 43-037-15705 9990 INDIAN WI A NAVAJO TRACT 13-3 (MCELMO H-17) 12-41S-24E 43-037-15493 9990 INDIAN WI A NAVAJO TRACT 13-3 (MCELMO H-17) 12-41S-24E 43-037-15496 9990 INDIAN WI A NAVAJO L2 (MCELMO G-19) 12-41S-24E 43-037-16346 9990 INDIAN WI A NAVAJO E 23-13 (MCELMO G-23) 13-41S-24E 43-037-16345 9990 INDIAN WI A MCELMO CREEK UNIT 1-23 13-41S-24E 43-037-16352 9990 INDIAN WI A MCELMO CREEK UNIT 1-23 13-41S-24E 43-037-16352 9990 INDIAN WI A MCELMO CR G-21A 13-41S-24E 43-037-16352 9990 INDIAN WI A MCELMO CR G-21D 14-41S-24E 43-037-16353 9990 INDIAN WI A MCELMO CR G-21D 14-41S-24E 43-037-16353 9990 INDIAN WI A MCELMO CR G-21D 14-41S-24E 43-037-16349 9990 INDIAN WI A MCELMO CR G-21D 14-41S-24E 43-037-16353 9990 INDIAN WI A MCELMO CR G-21D 14-41S-24E 43-037-16353 9990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16353 9990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16354 9990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16353 9990 INDIAN WI A MCELMO CREEK S-14 OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 06/29/2001	ELL
NAVAJO 2-D (MCELMO A-17)	FATUS
MCELMO CR C-18	
NAVAJO H-2 (MCELMO D-17)	
NAVAJO D-2 (MCELMO E-19)	
MCELMO CR G-18 12-41S-24E 43-037-15494 5980 INDIAN WI A MCELMO CREEK I-18 12-41S-24E 43-037-15710 5980 INDIAN WI A MCELMO CREEK I-20 12-41S-24E 43-037-15710 5980 INDIAN WI A NAVAJO TRACT 13-4 (MCELMO F-17) 12-41S-24E 43-037-15493 99990 INDIAN WI A NAVAJO TRACT 13-3 (MCELMO H-17) 12-41S-24E 43-037-15496 99990 INDIAN WI A NAVAJO TRACT 13-3 (MCELMO G-19) 12-41S-24E 43-037-16346 99990 INDIAN WI A NAVAJO T-2 (MCELMO G-19) 12-41S-24E 43-037-16346 99990 INDIAN WI A NAVAJO E 23-13 (MCELMO G-23) 13-41S-24E 43-037-16348 99990 INDIAN WI A MCELMO CREEK UNIT I-23 13-41S-24E 43-037-16352 99990 INDIAN WI A MCELMO CREEK UNIT I-23 13-41S-24E 43-037-16352 99990 INDIAN WI A NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E 43-037-16343 99990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16344 99990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16344 99990 INDIAN WI A MCELMO CREEK U-125 24-41S-24E 43-037-16349 99990 INDIAN WI A MCELMO CREEK U-125 24-41S-24E 43-037-16349 99990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 99990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16384 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16151 5980 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16151 5980 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16151 5980 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16151 5980 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16151 5980 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16151 5980 INDIAN WI A	
MCELMO CREEK I-18 12-41S-24E 43-037-15709 5980 INDIAN WI A	
MCELMO CREEK I-20 12-41S-24E 43-037-15710 5980 INDIAN WI A NAVAJO TRACT 13-4 (MCELMO F-17) 12-41S-24E 43-037-15493 99990 INDIAN WI A NAVAJO TRACT 13-3 (MCELMO H-17) 12-41S-24E 43-037-15496 99990 INDIAN WI A NAVAJO J-2 (MCELMO G-19) 12-41S-24E 43-037-16346 99990 INDIAN WI A NAVAJO E 23-13 (MCELMO G-23) 13-41S-24E 43-037-16348 99990 INDIAN WI A MCELMO CREEK UNIT I-23 13-41S-24E 43-037-16348 99990 INDIAN WI A MCELMO CR G-21A 13-41S-24E 43-037-16349 99990 INDIAN WI A NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E 43-037-16343 99990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16344 99990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16349 99990 INDIAN WI A MCELMO CREEK U I-25 24-41S-24E 43-037-16353 99990 INDIAN WI A MCELMO CREEK U I-25 24-41S-24E 43-037-16383 99990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16381 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-	
NAVAJO TRACT 13-4 (MCELMO F-17) 12-41S-24E	
NAVAJO TRACT 13-3 (MCELMO H-17) 12-41S-24E 43-037-15496 99990 INDIAN WI A NAVAJO J-2 (MCELMO G-19) 12-41S-24E 43-037-16346 99990 INDIAN WI A NAVAJO E 23-13 (MCELMO G-23) 13-41S-24E 43-037-16348 99990 INDIAN WI A MCELMO CREEK UNIT I-23 13-41S-24E 43-037-16352 99990 INDIAN WI A MCELMO CR G-21A 13-41S-24E 43-037-16352 99990 INDIAN WI A NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E 43-037-16343 99990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16343 99990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16349 99990 INDIAN WI A MCELMO CREEK U1-25 24-41S-24E 43-037-16353 99990 INDIAN WI A MAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 99990 INDIAN WI A MAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S	
NAVAJO J-2 (MCELMO G-19) 12-41S-24E 43-037-16346 9990 INDIAN WI A NAVAJO E 23-13 (MCELMO G-23) 13-41S-24E 43-037-16348 9990 INDIAN WI A MCELMO CREEK UNIT I-23 13-41S-24E 43-037-16352 9990 INDIAN WI A MCELMO CR G-21A 13-41S-24E 43-037-30974 5980 INDIAN WI A NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E 43-037-16343 9990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16344 9990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16349 9990 INDIAN WI A MCELMO CREEK U I-25 24-41S-24E 43-037-16353 9990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 9990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 9990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001 06/29/2001	
NAVAJO E 23-13 (MCELMO G-23) 13-41S-24E 43-037-16348 99990 INDIAN WI A MCELMO CREEK UNIT I-23 13-41S-24E 43-037-16352 99990 INDIAN WI A MCELMO CR G-21A 13-41S-24E 43-037-30974 5980 INDIAN WI A NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E 43-037-16343 99990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16344 99990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16349 99996 INDIAN WI A MCELMO CREEK U I-25 24-41S-24E 43-037-16353 99990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001	
MCELMO CREEK UNIT I-23 MCELMO CR G-21A NAVAJO E 41-14 (MCELMO E-21) MCELMO CREEK G-21 NAVAJO E 43-14 (MCELMO E-23) MCELMO CREEK G-25 MCELMO CREEK G-25 MCELMO CREEK U I-25 MCELMO CREEK U I-25 MCELMO CREEK U I-25 MAVAJO P-12 (MCELMO V-13) MAVAJO P-10 (MCELMO V-15) MCELMO CREEK S-14 OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001 MIDIAN WI A 3-037-16352 99990 INDIAN WI A 4-18-24E 43-037-16344 99990 INDIAN WI A 3-037-16384 OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 06/29/2001	
MCELMO CR G-21A 13-41S-24E 43-037-30974 5980 INDIAN WI A NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E 43-037-16343 99990 INDIAN WI A NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E 43-037-16344 99990 INDIAN WI A MCELMO CREEK G-25 24-41S-24E 43-037-16349 99996 INDIAN WI A MCELMO CREEK U I-25 24-41S-24E 43-037-16353 99990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001 06/29/2001 06/29/2001 06/29/2001	
NAVAJO E 41-14 (MCELMO E-21) 14-41S-24E	
NAVAJO E 43-14 (MCELMO E-23) 14-41S-24E	
MCELMO CREEK G-25 24-41S-24E 43-037-16349 99996 INDIAN WI A MCELMO CREEK U I-25 24-41S-24E 43-037-16353 99990 INDIAN WI A NAVAJO P-12 (MCELMO V-13) 03-41S-25E 43-037-16383 99990 INDIAN WI A NAVAJO P-10 (MCELMO V-15) 03-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 04-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN MCELMO CREEK S-14 O4-41S-25E 04-037-16384 99990 INDIAN	
MCELMO CREEK U I-25 MCELMO CREEK U I-25 NAVAJO P-12 (MCELMO V-13) NAVAJO P-10 (MCELMO V-15) MCELMO CREEK S-14 O3-41S-25E 43-037-16383 99990 INDIAN WI A MCELMO CREEK S-14 O4-41S-25E 43-037-16151 5980 INDIAN WI A MCELMO CREEK S-14 OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: O6/29/2001 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: O6/29/2001	
NAVAJO P-12 (MCELMO V-13) NAVAJO P-10 (MCELMO V-15) MCELMO CREEK S-14 O4-41S-25E 43-037-16383 99990 INDIAN WI A MCELMO CREEK S-14 OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: O6/29/2001 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: O6/29/2001	
NAVAJO P-10 (MCELMO V-15) MCELMO CREEK S-14 O4-41S-25E 43-037-16384 99990 INDIAN WI A OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: O6/29/2001 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: O6/29/2001	
MCELMO CREEK S-14 OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: O6/29/2001 O6/29/2001	
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 06/29/2001	
2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: <u>06/29/2001</u>	
	04/09/2
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143	

N/A

6. Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01
7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001
8. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 04/16/2002 NOTE: EPA ISSUES UIC PERMITS
DATA ENTRY:
1. Changes entered in the Oil and Gas Database on: 04/16/2002
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 04/16/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A
STATE WELL(S) BOND VERIFICATION:
1. State well(s) covered by Bond Number: N/A
FEDERAL WELL(S) BOND VERIFICATION:
1. Federal well(s) covered by Bond Number: N/A
INDIAN WELL(S) BOND VERIFICATION:
1. Indian well(s) covered by Bond Number: 80273197
FEE WELL(S) BOND VERIFICATION:
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A
2. The FORMER operator has requested a release of liability from their bond on: The Division sent response by letter on: N/A N/A
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
COMMENTS:

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING						
1.	DJJ	1				
2.	CDW					

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006	
FROM: (Old Operator):	TO: (New Operator):		
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natura	al Resources Company	
PO Box 4358	1675 Broadway		3
Houston, TX 77210-4358	Denver, CO 802	202	
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-460		
CA No.	Unit:	MC ELMO (UIC)	
OPERATOR CHANGES DOCUMENTATION			
Enter date after each listed item is completed	EODMED amagatag an	a: 4/21/2006	
1. (R649-8-10) Sundry or legal documentation was received from the		4/21/2006	
2. (R649-8-10) Sundry or legal documentation was received from the			(/7/2006
3. The new company was checked on the Department of Commerce			6/7/2006
	Business Number:	5733505-0143	
5. If NO , the operator was contacted contacted on:			
6a. (R649-9-2)Waste Management Plan has been received on:	requested		
6b. Inspections of LA PA state/fee well sites complete on:	n/a		
6c. Reports current for Production/Disposition & Sundries on:	ok		
7. Federal and Indian Lease Wells: The BLM and or the I	BIA has approved th	e merger, name change) ,
or operator change for all wells listed on Federal or Indian leases of	on: BLN	<u>M</u> n∕a <u>BIA</u>	not yet
8. Federal and Indian Units:			
The BLM or BIA has approved the successor of unit operator fo	r wells listed on:	not yet	
9. Federal and Indian Communization Agreements ("	CA"):		
The BLM or BIA has approved the operator for all wells listed v	vithin a CA on:	n/a	
10. Underground Injection Control ("UIC") The D	ivision has approved UI	C Form 5, Transfer of Aut	hority to
Inject, for the enhanced/secondary recovery unit/project for the w	ater disposal well(s) liste	ed on: 6/12/2006	
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	6/22/2006		
2. Changes have been entered on the Monthly Operator Change Sp	oread Sheet on:	6/22/2006	
3. Bond information entered in RBDMS on:	<u>n/a</u>		
4. Fee/State wells attached to bond in RBDMS on:	<u>n/a</u>		
5. Injection Projects to new operator in RBDMS on:	6/22/2006		
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a	- N - N - N - N - N - N - N - N - N - N	- 100 Marie 1
BOND VERIFICATION:			
1. Federal well(s) covered by Bond Number:	<u>n/a</u>		
2. Indian well(s) covered by Bond Number:	PA002769	n/a	
3. (R649-3-1) The NEW operator of any fee well(s) listed covered b			
a. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:n/a n/a	<u></u>	
LEASE INTEREST OWNER NOTIFICATION:			
4. (R649-2-10) The FORMER operator of the fee wells has been con	tacted and informed by	a letter from the Division	
of their responsibility to notify all interest owners of this change or			
COMMENTS:	71.6		

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

TRANSFER OF AU	JTHORITY TO INJEC	CT
Well Name and Number See attached list	100.00	API Number Attached
Location of Well Footage: See attached list	County : San Juan	Field or Unit Name McElmo Creek Unit
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list

EFFECTIVE DATE OF TRANSFER: 6/1/2006

CURRENT OF	PERATOR		
Company:	Exxon Mobil Oil Corporation	Name:	
Address:	PO Box 4358	Signature:	
	city Houston state TX zip 77210-4358	Title:	
Phone:	(281) 654-1936	Date:	
Comments:	Exxon Mobil has submitted a separate, signed cop	v of UIC Form 5	
Gorillicitis.	Exxon Mobil has submitted a separate, signed cop	y of UIC Form 5	

NEW OPERAT	FOR		
Company:	Resolute Natural Resources Company	Name:	Dwight E Mallory
Address:	1675 Broadway, Suite 1950	Signature:	Ju Elly
	city Denver state CO zip 80202	Title:	Regulatory Coordinator
Phone:	(303) 534-4600	Date:	4/20/2006
Comments:	A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252		

(This space for State use only)

Transfer approved by:

Approval Date: b/12/06

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

	DIVISION OF OIL, GAS AND M	IINING		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list
SUNDR	Y NOTICES AND REPORT	S ON WELI	_S	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe
Do not use this form for proposals to drill	I new wells, significantly deepen existing wells below a laterals, Use APPLICATION FOR PERMIT TO DRILL	current bottom-hole depth	ı, reenter plugged wells, or to	7. UNIT OF CA AGREEMENT NAME: McElmo Creek Unit
1. TYPE OF WELL OIL WELL		Unit Agreeme		8. WELL NAME and NUMBER: See attached list
2. NAME OF OPERATOR:	ces Company N2700		45.00	9. API NUMBER:
Resolute Natural Resour	ces Company /4 / 100		PHONE NUMBER:	Attached 10. FIELD AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950	TY Denver STATE CO ZI		(303) 534-4600	Greater Aneth
4. LOCATION OF WELL			- 10 - 3.12.153745514	Amala P. S. S.
FOOTAGES AT SURFACE: See a	inaction list			COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:			STATE: UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICA	TE NATURE C	F NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	***	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE T		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR CHANGE TO PREVIOUS PLANS	NEW CONST		TEMPORARILY ABANDON
8 	CHANGE TUBING	OPERATOR (U TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	(START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	=	N OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLET	E - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR C	OMPLETED OPERATIONS. Clearly show all	pertinent details incl	uding dates, depths, volume	es, etc.
Effective June 1, 2006 Ex Resolute Natural Resource	xxon Mobil Oil Corporation resignates Company is designated as su	ns as operator ouccessor opera	of the McElmo Cree tor of the McElmo (k Unit. Also effective June 1, 2006 Creek Unit.
A list of affected producin UIC Form 5, Transfer of A	ng and water source wells is attac Authority to Inject.	ched. A separa	te of affected injecti	on wells is being submitted with
As of the effective date in	oond coverage for the affected we	alle will transfor	to BIA Bond # DAG	002760
As of the ellective date, b	ond coverage for the affected we	ens will transfer	to bia bond # PAC	02769.
NAME (PLEASE PRINT) Dwight E	Мыногу)	TITLE	Regulatory Coord	linator
1 t 21	1/2	3000-000	4/20/2006	
SIGNATURE 0.9	\rightarrow	DATE	4/20/2000	· · · · · · · · · · · · · · · · · · ·
(This space for State use only)			100	
APPRE	WED 6 122106			DEOF
111 IC	VED 6 122106			RECEIVED
$\mathcal{C}_{\mathbf{A}}$	L Venia KAINIOO			100 -

(5/2000)

Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

APR 2 4 2006

DIV. OF OIL, GAS & MINING

	Di	STATE OF UTAH EPARTMENT OF NATURAL RESOL	IDOES	FORM 9
		VISION OF OIL, GAS AND M		5. LEASE DESIGNATION AND SERIAL NUMBER:
S	SUNDRY N	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock 7. UNIT Of CA AGREEMENT NAME:
Do not use this form for pro	oposals to drill new v drill horizontal latera	wells, significantly deepen existing wells below coals. Use APPLICATION FOR PERMIT TO DRILL	urrent bottom-hole depth, reenter plugged wells, or form for such proposals.	
1. TYPE OF WELL	OIL WELL	GAS WELL OTHER	Injection	8. WELL NAME and NUMBER: McElmo Creek
2. NAME OF OPERATOR:		1110		9. API NUMBER:
ExxonMobil Oil (3. ADDRESS OF OPERATO		N 1855	I PHONE NUMBER:	attached 10. FIELD AND POOL, OR WILDCAT:
P.O. Box 4358		Houston STATE TX Z	, 77210-4358 (281) 654-1936	Annual Control of the
4. LOCATION OF WELL FOOTAGES AT SURFAC	DE:		CONTRACTOR OF ACCUSED	COUNTY: San Juan
QTR/QTR, SECTION, TO	OWNSHIP, RANGE,	MERIDIAN:		STATE: UTAH
11. CHE	CK APPRO	PRIATE BOXES TO INDICA	TE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMI	SSION		TYPE OF ACTION	
NOTICE OF INTE	NT [ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplica		ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date wo	rk will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
6/1/2006	ĮE	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR
		CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT RI (Submit Original F		CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work complete	. " VE	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work complete	<u> </u> [COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
		CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMAT	ION
ExxonMobil Oil (Resources Com	Corporation i pany. All ch	is transferring operatorship of	uld be made effective as of 7:0	Creek lease to Resolute Natural
i i	aurie Kilhric	de	Permitting Su	nervisor

(This space for State use only)

Eprline Russell

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician RECEIVED APR 2 1 2006

DIV. OF OIL, GAS & MINING

4/19/2006

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

MCELMO CREEK D15							100					
MCELMO CREEK H11	Dan Land N		1.5		And the Man							
MCELMO CREEK 112	Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
MCELMO CREEK 112	MOEI NO OBEEK	-										
MCELMO CREEK F11 4303716361800S1 Active 14-20-0603-6146 NW SW 36 40S 24E 1830FSL 0820FWL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6146 SE SW 36 40S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6147 NW SE 2 41S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK G14 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 2660FSL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2060FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2060FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2060FNL 0500FEL MCELMO CREEK G14 430371618070S1 Active 14-20-0603-2048A NW SE 2 41S 24E 2060FNL 0500FEL MCELMO CREEK G14 430371618070S1 Active 14-20-0603-2057 NW NW 33 40S 25E 2050FNL 0500FEL MCELMO CREEK G14 430371618070S1 Active 14-20-0603-2057 NW NW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161805S1 Active 14-20-0603-2057 NW SW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 33 40S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 33 40S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 34 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 34 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-063-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037163500S1 Active 14-20-063-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037163500S1 Active						_		_	_		1855FSL	2100FEL
MCELMO CREEK D15	MCELMO CREEK	112	430371561900S1	Active	14-20-0603-6145	SE	SE	36	40S	24E	0595FSL	0595FEL
MCELMO CREEK D15										KI .	0	
MCELMO CREEK A17 43037163400S1 Active 14-20-603-6147 NW SE 2 41S 24E 1830FSL 1				Shut-in	14-20-0603-6146	NW	SW	36	40S	24E	1885FSL	0820FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 415 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626300S1 Active 14-20-603-6510 SE NW 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371613700S1 Shut-in 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R114 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0625FWL MCELMO CREEK R114 430371614900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FSL 0660FWL MCELMO CREEK R13 430371614500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FSL 1820FWL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FSL 1820FWL MCELMO CREEK R15 43037163500S1 Active 14-20-603-2057 NW NW 8 33 40S	MCELMO CREEK	G12	430371561800S1	Active	14-20-0603-6146	SE	SW	36	40\$	24E	1910FNL	2051FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 415 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626300S1 Active 14-20-603-6510 SE NW 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371613700S1 Shut-in 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R114 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0625FWL MCELMO CREEK R114 430371614900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FSL 0660FWL MCELMO CREEK R13 430371614500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FSL 1820FWL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FSL 1820FWL MCELMO CREEK R15 43037163500S1 Active 14-20-603-2057 NW NW 8 33 40S							7311	<u> </u>			200	
MCELMO CREEK	MCELMO CREEK	D15	430371634100S1	Active	14-20-0603-6147	NW	SE	2	41S	24E	1830FSL	1830FEL
MCELMO CREEK C14 430371626700S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 25067NL 0500FEL MCELMO CREEK F14 43037163700S1 Shut-in 14-20-0603-6510 SE NE 2 41S 24E 25067NL 0500FEL MCELMO CREEK F18 43037163700S1 Shut-in 14-20-603-2048A SW SE 28 40S 25E 0606FSL 1980FEL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 2036FSL 0680FWL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 34 41S 25E 2036FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK R14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1800FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1800FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1800FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1800FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FML 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 0506FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 33 40S 25E 0660FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 33 40S 25E 0660FNL 2000FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 33 40S 25E 0660FNL 2000FNL										-0:		
MCELMO CREEK C14	MCELMO CREEK	A17	430371633800S1	Active	14-20-0603-6148	NE	NE	10	41S	24E	1270FNL	0660FEL
MCELMO CREEK E14 430371626700S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL 0500FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F18 430371626800S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R19 430371614700S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW SW 44 11S 25E 1980FSL 0500FWL MCELMO CREEK R13 430371614900S1 Active 14-20-603-2057 NW SW 44 11S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S11 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 10665FSL 1240FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 10665FSL 1240FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 SE NW 34 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0050FNL 1820FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1980FNL 0600FSL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2000FFL MCELMO CREEK S17 43037163800S1 Active 14-20-603-2057 NW NW 54 41S 25E 1000FNL 0660FNL 0660FNL MCELMO CREEK S17 43037163800S1 Active 14-20-603-2057 NW NW 54 41S 25E 1000FNL 0660FNL 0660		14		555							- 115	
MCELMO CREEK D13 43037162870051 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL	MCELMO CREEK	C14	430371626500S1	Active	14-20-0603-6509	SE	NW	2	41S	24E	2140FNL	2140FWL
MCELMO CREEK E14			1									
MCELMO CREEK E14	MCELMO CREEK	D13	430371626700S1	Active	14-20-0603-6510	NW	NE	2	41S	24E	0820FNL	1920FFL
MCELMO CREEK R09	MCELMO CREEK	E14	430371626800S1	Active	14-20-0603-6510	SE						
MCELMO CREEK R11												0000. 22
MCELMO CREEK R11A 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0880FWL	MCELMO CREEK	T08	430371637700S1	Shut-in	14-20-603-2048A	sw	SE	28	40S	25F	0660ESI	1980FFI
MCELMO CREEK				****							OGGGI GE	10001 EE
MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 415 25E 0690FWL 0680FWL MCELMO CREEK R15 430371614900S1 Active 14-20-603-2057 NW NW 4 15 25E 1980FSL 0500FWL MCELMO CREEK S10 430371615000S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FSL 1200FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 415 25E 2005FNL 1280FWL MCELMO CREEK S16 43037163000S1 Active 14-20-603-2057 NW W 4 415 25E 0700FSL 1209FWL MCELMO CREEK T13 430371637900S1 Active 14-20-603-2057 NW NE	MCELMO CREEK	R09	430371614700S1	Active	14-20-603-2057	NW	NW	33	405	25F	0500ENI	0625EWI
MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 NW SW 4 41S 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1990FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 430371615100S1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 430373008000S1 Active 14-20-603-2057 NW NE 33 40S 25E 9040FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 33 40S 25E 9040FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 20390FEL MCELMO CREEK T15 430371638100S1 Active 14-20-603-2057 NW NE 33 40S 25E 9040FNL 2035FEL MCELMO CREEK T15 430371638100S1 Active 14-20-603-2057 NW NE 41S 25E 1050FNL 20390FEL MCELMO CREEK U10 43037163500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1050FNL 2090FEL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1050FNL 2035FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1050FNL 2050FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1050FNL 2050FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1050FNL 2050FSL MCELMO CREEK U14 43037161500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 43037163500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 43037163500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 43037163500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 43037163500S1 Active 14-20-603-263 NW NW 3 41S 25E 1050FNL 1050FNL MCELMO CREEK U14 43037153000S1 Active 14-20-603-263 NW NW 3 41S 25E 1040FNL 1050FNL MCELMO CREEK U14 43037153000S1 Active 14-20-603-263 NW NW 3 41S 25E 1040FNL 1050FNL MCELMO CREEK U14 43037155000S1 Active 14-20-603-263 NW NW 8 41S 25E 1050FNL 1	MCELMO CREEK	R11A										
MCELMO CREEK	MCELMO CREEK	R13										
MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE SW 33 40S 25E 0645FSL 2140FWL MCELMO CREEK S14 4303716150OS1 Active 14-20-603-2057 SE NW 4 41S 25E 005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T09A 43037300800OS1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 34 41S 25E 0700FSL 1820FWL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK T15 430371637900S1 Active 14-20-603-2057 NW NE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 43037163780OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 43037161550OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1880FSL 1890FEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1880FSL 1806SFEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1880FNL 0660FEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 43037163830OS1 Active 14-20-603-2057 NW NW N 3 41S 25E 1980FNL 0660FEL MCELMO CREEK U15 43037163830OS1 Active 14-20-603-2057 NW NW 3 41S 25E 0650FNL 0660FWL MCELMO CREEK V15 4303716380OS1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0660FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0560FWL MCELMO CREEK K12 43037153600OS1 Active 14-20-603-263 NW NW 18 41S 25E 0820FNL 0560FWL MCELMO CREEK K13 43037153600OS1 Active 14-20-603-263 NW NW 18 41S 25E 0820FNL 0560FWL MCELMO CREEK K14 43037153600OS1 Active 14-20-603-263 NW NW 18 41S 25E 0820FNL 1808FWL MCELMO CREEK K17 43037153600OS1 Active 14-20-603-263 NW NW 18 41S 25E 0820FNL 1900FL MCELMO CREEK K19 430371550500OS1 Active 14-20-603-263 NW NW 18 41S 25E 0820FNL 1900FL MCELMO CREEK K19 430371550500OS1 Active 14-20-603-263 NW NW 18 4	MCELMO CREEK	R15										
MCELMO CREEK S12												
MCELMO CREEK S14 430371615100S1 Active 14-20-603-2057 SE NW 4 41S 25E 2005FNL 1820FWL												
MCELMO CREEK S16 430371615200S1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL												
MCELMO CREEK T19A 43037308000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL						-						
MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK T15 430371637800S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FSL MCELMO CREEK U14 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0505FSL 0745FEL MCELMO CREEK U16 430371638300S1 Active 14-20-603-2057 SE NE 4 41S 25E 0506FNL 0660FFL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 05060FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 1980FNL 0500FWL MCELMO CREEK J17 430371638600S1 Active 14-20-603-2057 NW SW 3 41S 25E 1980FNL 0500FWL MCELMO CREEK J17 A30371638600S1 Active 14-20-603-263 NW SW 7 41S 25E 0506FNL 1990FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 7 41S 25E 0566FNL 1990FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 7 41S 25E 0566FNL 1990FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635000S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1800FWL MCELMO CREEK K24 43037163600S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1800FWL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1980FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1980FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 1850FNL 0700FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FN							Committee of the Commit	_				
MCELMO CREEK T15												
MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 1980FNL 0660FSL MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 0660FSL 0805FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0860FNL 0550FWL MCELMO CREEK J17 430371638400S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J21 43037163500S1 Active 14-20-603-263 NW NW												
MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 0660FSL 0805FEL												
MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 430371638400S1 Active 14-20-603-2057 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 1997FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0660FSL 1800FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1980FSL 1980FEL MCELMO CREEK N19 43037155100S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 1980FSL MCELMO CREEK N19 43037155100S1 Active 14-20-603-263 NW NE 8 18 41S 25E 0820FNL 1980FEL MCELMO CREEK N19 430371551400S1 Active 14-20-603-263 NW NE 8 18 41S 25E 0820FNL 1980FEL MCELMO CREEK N19 430371551400S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FNL 0790FEL MCELMO CREEK N19 430371551400S1 Active 14-20-603-263 NW NW 18 41S 25E 0860FSL 0660FWL MCELMO CREEK N21 430371551400S1 Active 14-20-603-263 NW NW 18 41S												
MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0950FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 7 41S 25E 0956FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E												
MCELMO CREEK V13												Andrew Co. Co.
MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 1980FSL 0560FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371549900S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 0400FNL 180FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE												
MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 18 41S 25E 2056FNL 1997FWL MCELMO CREEK K18 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K22 43037304000S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550700S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 2140FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 1980FEL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NE 18 41S 25E 0600FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FSL 0660FSL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NW 17												
MCELMO CREEK J19	WICELINO CREEK	V 15	43037163840051	Active	14-20-603-2057	INW	SW	3	415	25E	1980FSL	0560FWL
MCELMO CREEK J19	MCELMO ODEEK	147	10007454000004		11.00.000.000							
MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371636000S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550600S1 Active 14-20-603-263 NW NE												
MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551500S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551600S1 Active 14-20-603-263 NW SW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW NW NW 17 41S 25E 1850FNL 1890FWL										_		
MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE												
MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551100S1 Shut-in 14-20-603-263 SE NE												
MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 26021 NL 15001 WL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M19 430371551400S1 Active 14-20-603-263 NW NW	~							-			0660FSL	1810FWL
MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0860FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW											2082FNL	1588FWL
MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FW								18	418	25E	0660FSL	1801FWL
MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0860FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW				Active	14-20-603-263	NW	NE	7	41S	25E	0660FNL	1980FEL
MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW <t< td=""><td></td><td></td><td>430371550500S1</td><td>Active</td><td>14-20-603-263</td><td>NW</td><td>SE</td><td>7</td><td>418</td><td>25E</td><td>1860FSL</td><td>2140FEL</td></t<>			430371550500S1	Active	14-20-603-263	NW	SE	7	418	25E	1860FSL	2140FEL
MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE		L21	430371550600S1	Active	14-20-603-263	NW	NE	18	418	25E	0820FNL	
MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK	L23	430371550700S1	Active	14-20-603-263							
MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL		M18	430371551000S1	Active	14-20-603-263			_		$\overline{}$		
MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL		M20						_	_			
MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK	N17						_				
MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK											
MCELMO CREEK 018 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL								-				
MOSING ODESIA DATA MOSINES MOS								_				
MCELMO CREEK P17 430371551900S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FNL 1980FEL				Active	14-20-603-263			_			0660FNL	1980FEL

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

		399 300 727	1					Surfa	ice Lo	cation	
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TTN		NS Foot	EW Foot
Till co on is			- Clarac	Trog Zodoo II		Q.(,	1000		1410	110 1 000	LVV 1 OOL
MCELMO CREEK	P19	430371552000S1	Active	14-20-603-263	NW	SE	8	41S	25E	2140FSL	1980FEL
MCELMO CREEK	P21	430371636900S1	Active	14-20-603-263	NW	NE	17		25E	0660FNL	1980FEL
MCELMO CREEK	P23A	430373143900S1	Active	14-20-603-263	sw	NE	17			2531FNL	2325FEL
				585						-37	
MCELMO CREEK	L25	430371550800S1	Active	14-20-603-264	NW	NE	19	41S	25E	0660FNL	1980FEL
			V.II.							11.52	1,1,1,1,1
MCELMO CREEK	R17	430371597600S1	Active	14-20-603-359	NW	NW	9	418	25E	0740FNL	0560FWL
MCELMO CREEK	R19	430371637300S1	Active	14-20-603-359	NW	sw	9	418		1980FSL	0660FWL
MCELMO CREEK	R21	430371637400S1	Active	14-20-603-359	NW	NW	16			0511FNL	0562FWL
MCELMO CREEK	T17	430371638000S1	Active	14-20-603-359	NW	NE	9		25E	0675FNL	1933FEL
MCELMO CREEK	E21	430371634300S1	Active	14-20-603-370	NE	NE	14	41S	24E	0660FNL	0660FEL
MCELMO CREEK	E23	430371634400S1	Active	14-20-603-370	NE	SE	14	41S		2031FSL	0711FEL
MCELMO CREEK	G21A	430373097400S1	Active	14-20-603-370	NE	NW	13	418		0867FNL	1883FWL
MCELMO CREEK	G23	430371634800S1	Shut-in	14-20-603-370	NE	SW	13	41S	24E	2092FSL	1899FWL
MCELMO CREEK	G25	430371634900S1	Active	14-20-603-370	NE	NW	24	41S	24E	0660FNL	1980FWL
MCELMO CREEK	123	430371635200S1	Active	14-20-603-370	NE	SE	13	41S		1980FSL	0660FEL
MCELMO CREEK	125	430371635300S1	Active	14-20-603-370	NE	NE	24	41S	24E	0530FNL	0820FEL
					1			300			
MCELMO CREEK	J11	430371635400S1	TA'd	14-20-603-372	NW	SW	31	40S	25E	1980FSL	0660FWL
MCELMO CREEK	J13	430371635500S1	Active	14-20-603-372	NW	NW	6	41S	25E	0621FNL	0580FWL
MCELMO CREEK	J15	430371595400S1	Active	14-20-603-372	NW	SW	6	41S	25E	1980FSL	0500FWL
MCELMO CREEK	K12	430371595500S1	Active	14-20-603-372	SW	SW	31	40S	25E	0670FSL	1970FWL
MCELMO CREEK	K14	430371595600S1	Active	14-20-603-372	SE	NW	6	41S	25E	1851FNL	1885FWL
MCELMO CREEK	K16	430371595700S1	Active	14-20-603-372	SE	SW	6	41S	25E	0660FSL	1816FWL
MCELMO CREEK	L09	430371635900S1	Active	14-20-603-372	NW	NE	31	40S	25E	0660FNL	1980FEL
MCELMO CREEK	L13	430371595900S1	Active	14-20-603-372	NW	NE	6	418		0778FNL	1917FEL
MCELMO CREEK	L15	430371596000S1	Active	14-20-603-372	NW	SE	6	418		1820FSL	1830FEL
MCELMO CREEK	M10	430371596100S1	Shut-in	14-20-603-372	SE	NE	31	40S	25E	1980FNL	0530FEL
MCELMO CREEK	M12	430371596200S1	Active	14-20-603-372	SE	SE	31	40S	25E	0590FSL	0585FEL
MCELMO CREEK	M14	430371596300S1	Active	14-20-603-372	SE	NE	6	41S	25E	2089FNL	0773FEL
MCELMO CREEK	M16	430371636100S1	Active	14-20-603-372	SE	SE	6	41S	25E	0660FSL	0660FEL
MCELMO CREEK	N09	430371596400S1	Shut-in	14-20-603-372	NW	NW	32	40S	25E	0628FNL	0615FWL
MCELMO CREEK	N11	430371596500S1	Active	14-20-603-372	NW	SW	32	40S	25E	2069FSL	0618FWL
	N13	430371596600S1	Active	14-20-603-372	NW	NW	5	41S	25E	0840FNL	0505FWL
	N15	430371636300S1	Active	14-20-603-372	NW	SW	5	41S	25E	2140FSL	820FWL
MCELMO CREEK	012	430371596800S1	Active	14-20-603-372	SE	SW	32	40S	25E	0809FSL	1832FWL
	014	430371636500S1	Active	14-20-603-372	SE	NW	5	41S	25E	2056FNL	1997FWL
MCELMO CREEK	O16	430371596900S1	Active	14-20-603-372	SE	SW	5	41S	25E	0660FSL	1980FWL
MCELMO CREEK	P09	430371636700S1	Active	14-20-603-372	NW	NE	32	40S	25E	0598FNL	2100FEL
MCELMO CREEK	P11	430371597101S2	Active	14-20-603-372	NW	SE	32	40S	25E	2105FSL	2006FEL
MCELMO CREEK	P13	430371636800S1	Active	14-20-603-372	NW	NE	5	41S	25E	0610FNL	1796FWL
MCELMO CREEK	P15	430371597200S1	Active	14-20-603-372	NW	SE	5	41S	25E	1980FSL	1980FEL
MCELMO CREEK	Q10	430371597301S1	Active	14-20-603-372	SE	NE	32	40S	25E	1899FNL	0532FEL
MCELMO CREEK	Q16	430371597500S1	TA'd	14-20-603-372	SE	SE	5	41S	25E	0660FSL	0660FEL
	F13	430371634500S1	Active	14-20-603-4032				41S		0795FNL	0535FWL
	F15A	430373114900S1	Active	14-20-603-4032			1	41S	24E	1920FSL	0624FWL
MCELMO CREEK	G14	430371614300S1	Active	14-20-603-4032	SE	NW	1	41S	24E	1980FNL	1980FWL
MCELMO CREEK	G16	430371614400S1	Active	14-20-603-4032	SE	SW		418		0820FSL	1820FWL
MCELMO CREEK	H13	430371635100S1	Active	14-20-603-4032	NW	NE		41S			2110FEL
MCELMO CREEK	I-14	430371614500S1	Active	14-20-603-4032	SE	NE		41S		1980FNL	0660FEL
				- 1112//							

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

1		10 - 23- 270			Surface Location							
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot	
								NSC.				
MCELMO CREEK	F17	430371549300S1	Active	14-20-603-4039	NW	NW	12	41S	24E	0740FNL	0500FWL	
MCELMO CREEK	G18	430371549400S1	Active	14-20-603-4039	SE	NW	12	41S	24E	1980FNL	1980FWL	
MCELMO CREEK	H15	430371549500S1	Active	14-20-603-4039	NW	SE	1	41S	24E	1980FSL	1980FEL	
MCELMO CREEK	H17	430371549600S1	Active	14-20-603-4039	NE	NW	12	418	24E	0660FNL	1980FEL	
MCELMO CREEK	118	430371570900S1	Active	14-20-603-4495	SE	NE	12	415	24E	1840FNL	0555FEL	
1.2				- Aii								
MCELMO CREEK	E19	430371634200S1	Shut-in	14-20-603-5449	NE	SE	11_	41S	24E	1980FSL	0660FEL	
MCELMO CREEK	G19	430371634600S1	Active	14-20-603-5450	NE	SW	12	41S	24E	1350FSL	1800FWL	
MCELMO CREEK	120	430371571000S1	Active	14-20-603-5451	SE	SE	12	41S	24E	0990FSL	0500FEL	
MCELMO CREEK	N07	430371636200S1	Active	I-149-IND-8839	NE	sw	29	40S	25E	2083FSL	745FWL	
MCELMO CREEK	P07	430371636200S1	Active	I-149-IND-8839	NW	SE	29	40S	25E	1820FSL	2140FEL	
MCELMO CREEK	O10	430371596700S1	Active	NOG99041325	SE	NW	32	40S	25E	2086FNL	1944FWL	

Sundry Number: 72014 API Well Number: 43037163440000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-370	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: MCELMO CREEK	
1. TYPE OF WELL Water Injection Well			8. WELL NAME and NUMBER: NAVAJO E 43-14 (MCELMO E-23)	
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	9. API NUMBER: 43037163440000			
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite :	9. FIELD and POOL or WILDCAT: GREATER ANETH			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2031 FSL 0711 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESE Section: 14 Township: 41.0S Range: 24.0E Meridian: S			COUNTY: SAN JUAN	
			STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
5/31/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	L DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	✓ TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12 DESCRIPE PROPOSED OR	COMPLETED OPERATIONS. Clearly show	all portions details including dates	dontho volumos ete	
	sources respectfully submit			
	e well. Attached are the proc	•	Utah Division of	
l .	al was obtained from Leroy		Oil, Gas and Mining	
			Date:012016	
			June 01, 2016	
			By: 197 h Junt	
NAME (PLEASE PRINT)	PHONE NUME	BER TITLE		
Erin Joseph	303 573-4886	Sr. Regulatory Analyst		
SIGNATURE N/A		DATE 5/31/2016		

RECEIVED: May. 31, 2016

Sundry Number: 72014 API Well Number: 43037163440000

McElmo Creek Unit E-23 Injector

2031' FSL & 711' FEL Sec 14, T41S, R24E San Juan County, Utah API 43-037-16344

Job Scope – Temporarily abandon this SW flank vertical injector due to annular pressure and adverse economics for restoring to injection. This wellbore will likely be returned to injection at some future date when more favorable economic conditions exist.

Procedure: (Sundry Notice of Intent)

- 1. Move in & rig up well service unit.
- 2. Kill well, NU and test BOP's.
- 3. Pull and lay down injection packer and lined injection tubing.
- 4. Run bit & scraper to top perforation at 5446'.
- 5. Rig up Electric line unit & run cement bond log from top perforation to surface. Evaluate cement conditions across Hermosa & Chinle intervals.

NOTE: This well is not listed for Chinle remediation in the Horsley-Witten study, however by our records the Chinle top is only approximately known from a formation top map. The cement bond log should confirm the Chinle top, and allow evaluation of cement isolation for both Chinle and Hermosa intervals for future reference.

- 6. Run 5-1/2" CIBP and set at ~5395'. Final set depth pending CBL log collars.
- 7. Pressure test CIBP & casing.
- 8. Spot corrosion inhibited packer fluid from CIBP back to surface.

Sundry Number: 72014 API Well Number: 43037163440000

- 9. Run 2-7/8" tubing kill string, 40 joints minimum.
- 10. Land tubing, ND BOP's, NU B-1 flange w/master valve & gauge on top.
- 11. Rig down & move off location.
- 12. Schedule witnessed MIT w/NNEPA.


Attachments: Existing Wellbore Drawing,

Proposed TA Wellbore Drawing

McELMO CREEK UNIT # E-23

GREATER ANETH FIELD 2031' FSL & 711' FEL SEC 14-T41S-R24E SAN JUAN COUNTY, UTAH API 43-037-16344 PRISM 0000200 **INJECTOR**


EXISTINGWELLBORE



McELMO CREEK UNIT # E-23

GREATER ANETH FIELD 2031' FSL & 711' FEL SEC 14-T41S-R24E SAN JUAN COUNTY, UTAH API 43-037-16344 PRISM 0000200

INJECTOR



Sundry Number: 72449 API Well Number: 43037163440000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-370
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: MCELMO CREEK
1. TYPE OF WELL Water Injection Well			8. WELL NAME and NUMBER: NAVAJO E 43-14 (MCELMO E-23)
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	9. API NUMBER: 43037163440000		
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite 2800 , Denver, CO, 80203 4535 PHONE NUMBER: 303 534-4600 Ext			9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2031 FSL 0711 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESE Section: 14 Township: 41.0S Range: 24.0E Meridian: S			COUNTY: SAN JUAN
			STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
6/8/2016	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
 	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	✓ TEMPORARY ABANDON
DRILLING REPORT Report Date:	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
	WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Resolute Natural Re a successful T&	COMPLETED OPERATIONS. Clearly shown in the spectfully submit A on the above well. Attaches ummary and updated sche	ts this sundry as notice of ed are the operations	
NAME (PLEASE PRINT) Erin Joseph	PHONE NUM 303 573-4886	IBER TITLE Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 6/20/2016	

RECEIVED: Jun. 20, 2016

Sundry Number: 72449 API Well Number: 43037163440000

Well MCU E-23 Temporary Abandonment June 2016 - Resolute Energy 5/31/2016

Remarks: Road rig to location. Fill out Jsa LO/TO lateral line, Power Box. Spot in WSU level out rig on jacks. TWS Moving in rig equiment rig pump/ pit, Bop hydrill, Frac tank. RU hard line's to Pump/ Pit to well head. SDFN, Travel to yard. Note: H2s Oppm.

6/2/2016

Summary: RU WSU tighten guide wire's, RD lateral line from WH Tree, JR Const- Dig earth pit. Tbg 1250# Csg 500# Open Csg bled down Tbg/Csg to 0#. Pump 10 bbl's 10# brine down Tbg on vac, ND WH Tree & seal sub looks ok, Installed 10' sub w/ Tiw valve NUBOP/ Hydrill tighten bolts. RU rig floor, hand rails, Ladder, Tbg tong. RU WC to Mud Cross valve pressure test Pipe Rams/ Hydrill 250# low 1500# high good test, RD WC MOL. Unlock hanger lock pin's Pull up on Tbg & Release Packer, Tooh w/ 1jt + 10' sub, SB 168 in derrick LD AS1x Packer. Top mandrel had pin hole. Mu 4 3/4" Bit, Scraper. RIH 168 out of derrick, Pu 2 jts off ground tag fill @ 5412' . Tooh. LD 2 jts Tooh 80 jts in derrick EOT 2804' KS in Well 88 jts. Secure well, SDFN.

6/3/2016

Summary: Tbg/ Csg 250# bled down to 0#. Tooh with 88 of KS in SB in derrick total 168 + Id Bit Scraper. RU Blue Jet WL RIh with CIBP set @ 5390' w/ KB. Rih down 2 sks Cement 12', RU CBL rih Log from 5378' to surface Top of Cement on production Csg 4375', 8 5/8" Csg shoe @ 1408', Witness By NNEPA. RD WL MOL. Mu bit/sub Rih with 158 out of derrick 4714'. Secure well, SDFN. Travel to yard.

6/6/2016

Summary: Crew travel, filled out jsa, tailgate meeting on waste management, no press on well, open up bops, TIH w/10 jts, p/u one tag j, tag TOC at 5382', RU hose, circ pkr fluid, MOCK MIT Test @ 1000# psi, held for 30 min's, test good, bled off press, had Lansing Const spot in an empty tbg trailer, poh & I/dn tag jt &128 jts of prod tbg , TOH w/ 40 jts (prod tbg), I/dn setting tool, TBIH w/ tbg open ended, moved out tbg trailer, RD floor & tongs, nd bop/hydril, m/u 3K B1 flange, land tbg, setting EOT @ 1287.91'KB, secured well, RD pump & pit, RDWSU, inspect rig, MOL.

6/7/2016

Summary: Jsa safety Mtg w/ Well Check & NNEPA, Tbg/ Csg 0#,SCP 0#. MWS top off well FW, RU WC to Csg pressure up to 1005# for 30 min's, Pass MIT test. RD WC MOL.

RECEIVED: Jun. 20, 2016

Sundry Number: 72449 API Well Number: 43037163440000

McELMO CREEK UNIT # E-23

GREATER ANETH FIELD 2031' FSL & 711' FEL SEC 14-T41S-R24E SAN JUAN COUNTY, UTAH API 43-037-16344

INJECTOR

MCU E-23 WBD Temporary Abandonment June 2016

